



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and  
Regulation (EC) No. 1272/2008

Revision date 05-10-2026

Revision Number 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Code** SB73025949  
**Material number(s):** SB73025949  
**Product Name** RENOL-GREY SB73025949-ZA

### Other means of identification

**Substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** For industrial use only  
**Uses advised against** None

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Avient Luxembourg S.à.r.l.  
19 Route de Bastogne, L-9638  
Pommerloch, Luxembourg  
Product Stewardship  
+352 26 90 50 35

For further information, please contact

**E-mail address** SDS.MB.Europe@avient.com  
**Company Phone Number** +352 26 90 50 35

### 1.4. Emergency telephone number

**Emergency Telephone** (Chemtrec 24h) +44 20 3885 0382

| Poison control center phone number - §45 - (EC)1272/2008 |                                                                                                                                                        |
|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Europe                                                   | 112                                                                                                                                                    |
| Austria                                                  | Austria Poison Information Center: +43 1 406 43 43<br>Emergency phone number: 112                                                                      |
| Belgium                                                  | Belgium Emergency phone number: +32 (0) 70 245 245<br>Emergency phone number: 112                                                                      |
| Bulgaria                                                 | Bulgaria Emergency phone number : Hospital for Active Medical Treatment and Emergency Medicine "N.I.Pirogov"<br>Emergency number/ fax: +359 2 9154 233 |
| Croatia                                                  | Croatia Emergency phone number: Poison Control Center: +385 (01) 23 48 342<br>Emergency phone number: 112                                              |

|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Cyprus</b>         | Cyprus Emergency phone number: Poison Control Center: 1401                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Czech Republic</b> | Czech Republic<br>Toxicological Information Center (TIS), Clinic of Occupational Medicine: +420 224 919 293<br>or +420 224 915 402<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Denmark</b>        | Denmark Emergency phone number: Bispebjerg Hospital: +45 82 12 12 12<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Estonia</b>        | Estonia Emergency phone number: Poison Information Center: 16662<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Finland</b>        | Finland Emergency phone number: Poison Information Center: 0800 147 111<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>France</b>         | France: National Poison center phone number (ORFILA) : (33) 1 45 42 59 59<br>24/24-7/7 emergency number : ANGERS: 02 41 48 21 21<br>BORDEAUX: 05 56 96 40 80<br>LILLE: 08 00 59 59 59<br>LYON: 04 72 11 69 11<br>MARSEILLE: 04 91 75 25 25<br>NANCY: 03 83 22 50 50<br>PARIS: 01 40 05 48 48<br>TOULOUSE: 05 61 77 74 47                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Germany</b>        | Germany Emergency phone number: +49 30 19240 (Giftnotruf Berlin)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Greece</b>         | Greece Emergency phone number: Poison Center: +30 210 77 93 777<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Hungary</b>        | Hungary Emergency phone number: ETTSZ (Health Toxicological Information Service): +36 80 201 199<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Ireland</b>        | Ireland Emergency phone number: National Poisons Information Centre, Beaumont Hospital: +353 (0)1 809 2166 (from 8.00 to 22.00)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Italy</b>          | Italy Emergency phone number:<br>Bambino Gesù Pediatric Hospital, Rome, Piazza Sant'Onofrio: 06 6859 3726<br>University Hospital Foggia, Viale Luigi Pinto: 800 183 459<br>A. Cardarelli Hospital, Naples, Via A. Cardarelli: 081 545 3333<br>Umberto I Hospital, Rome, Viale del Policlinico: 06 4997 8000<br>A. Gemelli Hospital, Rome, Largo Agostino Gemelli: 06 305 4343<br>Careggi Hospital, Medical Toxicology Unit, Florence, Largo Brambilla: 055 794 7819<br>National Center for Toxicological Information, Pavia, Via Salvatore Maugeri: 0382 24444<br>Niguarda Ca' Granda, Milan, Piazza Maggiore Hospital: 02 6610 1029<br>Giovanni XXII Hospital, Bergamo, Piazza OMS: 00 883 300<br>Verona Integrated Hospital Trust, Piazzale Aristide Stefani 1: 800 011 858<br>Emergency phone number: 112 |
| <b>Latvia</b>         | Latvia Emergency phone number: Toxicology and Sepsis Clinic, Poison and Drug Information Center: +371 67042473<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Lithuania</b>      | Lithuania Emergency phone number: Lithuanian Poison Control and Information Center: +370(5) 2362052 or +370 687 53378<br>Emergency phone number: 112                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|                    |                                                                                                                                                                                           |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Luxembourg</b>  | Luxembourg Emergency phone number: (+352) 8002 5500<br>Emergency phone number: 112                                                                                                        |
| <b>Malta</b>       | Malta Accident and Emergency Department phone number: 2545 4030                                                                                                                           |
| <b>Netherlands</b> | Netherlands Emergency phone number: NVIC Poison Center: +31 (0)88 755 8000 (For professionals only in case of acute poisoning).                                                           |
| <b>Norway</b>      | Norway Poison Center Emergency phone number: +47 22 59 13 00                                                                                                                              |
| <b>Poland</b>      | Poland Poison Information Center (Warsaw): +48226196654<br>Pomeranian Center of Toxicology (Gdansk): +48586821939<br>Sosnowiec Poison Center: +48323682210<br>Emergency phone number: 112 |
| <b>Portugal</b>    | Portugal Emergency phone number: Antivenom Information Center (CIAV): +351 800 250 250<br>Emergency phone number: 112                                                                     |
| <b>Romania</b>     | Romania Emergency phone number: Toxicological Information Center: +40 21 599 2300<br>Emergency phone number: 021 112                                                                      |
| <b>Slovakia</b>    | Slovakia Emergency phone number: National Toxicological Information Center (NTIC): 00421 (0) 2 5477 4166<br>Emergency phone number: 112                                                   |
| <b>Slovenia</b>    | Slovenia Emergency phone number: 112                                                                                                                                                      |
| <b>Spain</b>       | Spain Emergency phone number + 34 91 562 04 20 (for toxic emergencies only)<br>Emergency phone number: 112                                                                                |
| <b>Sweden</b>      | Sweden Emergency phone number: 010-456 6700<br>Emergency phone number: 112                                                                                                                |
| <b>Switzerland</b> | Switzerland Emergency phone number: 145<br>Outside Switzerland: +41 44 251 51 51                                                                                                          |

## SECTION 2: Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### 2.1. Classification of the substance or mixture

#### *Classification according to Regulation (EC) No. 1272/2008 [CLP]*

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

### 2.2. Label elements

This product is marketed in a form that encapsulates the components in a polymer matrix. To the best of our knowledge, the product in this form does not present a significant risk to health by inhalation, ingestion, or skin contact, nor does it present a significant risk to the aquatic environment. Thus, as the substances are embedded in the polymer matrix and are not likely to migrate, labeling of the finished good is not mandatory (according to 1272/2008/EC Article 23d).

No label elements required.

**Hazard statements**

No hazard statements required.

**2.3. Other hazards****Other hazards**

No information available.

**PBT or vPvB properties**

The mixture does not contain any substances meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

**Endocrine Disruptor Information**The mixture does not contain substances  $\geq 0.1\%$  that have endocrine disrupting properties according to Regulation (EC) No 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

| Chemical name                                                                      | Weight-% | REACH registration number | EC No. (Index No.)       | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | M-Factor | M-Factor (long-term) | Notes |
|------------------------------------------------------------------------------------|----------|---------------------------|--------------------------|-----------------------------------------------------------------|------------------------------------|----------|----------------------|-------|
| 2-Propenenitrile, polymer with ethenylbenzene (CAS #: 9003-54-7)                   | 20 - 40% | No data available         | -                        | No data available                                               | -                                  | -        | -                    | -     |
| 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene (CAS #: 9003-56-9) | 20 - 40% | No data available         | -                        | Not classified                                                  | -                                  | -        | -                    | -     |
| Titanium dioxide (CAS #: 13463-67-7)                                               | 10 - 20% | No data available         | 236-675-5                | No data available                                               | -                                  | -        | -                    | -     |
| C.I. Pigment Brown 24 (CAS #: 68186-90-3)                                          | 5 - 10%  | No data available         | 269-052-1 (051-003-00-9) | Not classified                                                  | -                                  | -        | -                    | -     |
| Carbon black (CAS #: 1333-86-4)                                                    | 5 - 10%  | No data available         | 215-609-9                | No data available                                               | -                                  | -        | -                    | -     |
| Fatty acids, montan-wax, ethylene esters (CAS #: 73138-45-1)                       | 1 - 3%   | No data available         | 277-291-8                | No data available                                               | -                                  | -        | -                    | -     |
| Amides, C16 and C18, N,N'-ethylenebis- (CAS #: 68390-94-3)                         | 1 - 3%   | No data available         | -                        | No data available                                               | -                                  | -        | -                    | -     |
| C.I. Pigment Green 7 (CAS #: 1328-53-6)                                            | 1 - 3%   | No data available         | 215-524-7                | No data available                                               | -                                  | -        | -                    | -     |
| Silica, amorphous (CAS #: 7631-86-9)                                               | 1 - 3%   | No data available         | 231-545-4                | No data available                                               | -                                  | -        | -                    | -     |

|                                                                     |          |                   |                          |                                                                                                                                                                                                        |   |   |   |   |
|---------------------------------------------------------------------|----------|-------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (CAS #: 1344-28-1) | 0.1 - 1% | No data available | 215-691-6                | No data available                                                                                                                                                                                      | - | - | - | - |
| Zirconium oxide (ZrO <sub>2</sub> ) (CAS #: 1314-23-4)              | 0.1 - 1% | No data available | 215-227-2                | No data available                                                                                                                                                                                      | - | - | - | - |
| Styrene (CAS #: 100-42-5)                                           | < 0.1%   | No data available | 202-851-5 (601-026-00-0) | Acute Tox. 4 (H332)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)<br>Repr. 2 (H361d)<br>STOT RE 1 (H372)<br>Flam. Liq. 3 (H226)<br>Aquatic Chronic 3 (H412)<br>STOT SE 3 (H335)<br>Asp. Tox. 1 (H304) | - | - | - | - |

**Full text of H- and EUH-phrases: see section 16**

#### **Acute Toxicity Estimate**

| Chemical name                 | Oral LD50 mg/kg   | Dermal LD50 mg/kg | Inhalation LC50 - 4 hour - dust/mist - mg/L | Inhalation LC50 - 4 hour - vapor - mg/L | Inhalation LC50 - 4 hour - gas - ppm |
|-------------------------------|-------------------|-------------------|---------------------------------------------|-----------------------------------------|--------------------------------------|
| Carbon black (1333-86-4)      | No data available | 2002              | No data available                           | No data available                       | No data available                    |
| Silica, amorphous (7631-86-9) | No data available | 5005              | No data available                           | No data available                       | No data available                    |
| Styrene (100-42-5)            | No data available | 2002              | No data available                           | No data available                       | 4500                                 |

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59).

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

|                                           |                                                                                                                                                                                                                    |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                         | Move victim to fresh air. Get medical attention immediately if symptoms occur.                                                                                                                                     |
| <b>Eye contact</b>                        | In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists: Get medical advice and attention.             |
| <b>Skin contact</b>                       | Do not try to remove solidified material from the skin. Wash skin with soap and water. Take off contaminated clothing and wash before reuse. In the case of skin irritation or allergic reactions see a physician. |
| <b>Ingestion</b>                          | Rinse mouth. Do NOT induce vomiting. Get medical attention if symptoms occur.                                                                                                                                      |
| <b>Self-protection of the first aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. First aider: Pay attention to self-protection.                    |

### **4.2. Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Effects of Exposure** None.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media** Do not use water jetstream.

#### **5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Decomposition products can include and are not limited to: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Ammonia, Fluorinated oxides, Hydrogen fluoride, Hydrogen sulfide, Sulfur oxides, Sulfur trioxide, Oxides of sulfur, Phosphorus oxides, Phosphine, Metal oxides

#### **5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Evacuate personnel to safe areas. Special danger of slipping by leaking/spilling product. See section 8 for more information.

**For emergency responders** Use personal protection recommended in Section 8.

#### **6.2. Environmental precautions**

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

#### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                       |                                                                                                                                                                                                 |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Advice on safe handling</b>        | Ensure adequate ventilation. Avoid contact with skin and eyes.                                                                                                                                  |
| <b>General hygiene considerations</b> | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. |

### 7.2. Conditions for safe storage, including any incompatibilities

|                           |                                                                                                                            |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Storage Conditions</b> | Keep container tightly closed in a dry and well-ventilated place. Keep cool. Protect from sunlight. Protect from moisture. |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|

|                                 |                   |
|---------------------------------|-------------------|
| <b>Storage class (TRGS 510)</b> | Storage class 11. |
|---------------------------------|-------------------|

### 7.3. Specific end use(s)

|                                      |                                                                  |
|--------------------------------------|------------------------------------------------------------------|
| <b>Risk Management Methods (RMM)</b> | The information required is contained in this Safety Data Sheet. |
|--------------------------------------|------------------------------------------------------------------|

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure Limits

| Chemical name                      | Austria (GKV BGBl. II Nr. 330/2024)                                                                                                                                                                                                   | Belgium (Royal Decree 21/01/2020) | Bulgaria (Regulation No. 13)                  | Croatia (Official Gazette No. 91/2018)                                                                            |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Titanium dioxide (13463-67-7)      | TWA-TMW: 5 mg/m <sup>3</sup> ; alveolar dust, respirable fraction<br>STEL-KZGW: 10 mg/m <sup>3</sup> (2 X 60 min); alveolar dust, respirable fraction C                                                                               | TWA: 10 mg/m <sup>3</sup> ;       | TWA: 10.0 mg/m <sup>3</sup> ; respirable dust | TWA-GVI: 10 mg/m <sup>3</sup> ; total dust, inhalable particles<br>TWA-GVI: 4 mg/m <sup>3</sup> ; respirable dust |
| C.I. Pigment Brown 24 (68186-90-3) | TWA-TMW: 0.5 mg/m <sup>3</sup> ; inhalable fraction<br>STEL-KZGW: 1.5 mg/m <sup>3</sup> (4 X 15 min); inhalable fraction                                                                                                              | TWA: 0.5 mg/m <sup>3</sup> ;      | TWA: 0.5 mg/m <sup>3</sup> ;                  | TWA-GVI: 0.5 mg/m <sup>3</sup> ;                                                                                  |
| Carbon black (1333-86-4)           | -                                                                                                                                                                                                                                     | TWA: 3 mg/m <sup>3</sup> ;        | -                                             | TWA-GVI: 3.5 mg/m <sup>3</sup> ; STEL-KGVI: 7 mg/m <sup>3</sup> ;                                                 |
| C.I. Pigment Green 7 (1328-53-6)   | TWA-TMW: 1 mg/m <sup>3</sup> ; inhalable fraction<br>TWA-TMW: 0.1 mg/m <sup>3</sup> ; respirable fraction, smoke<br>STEL-KZGW: 4 mg/m <sup>3</sup> (4 X 15 min); inhalable fraction<br>STEL-KZGW: 0.4 mg/m <sup>3</sup> (4 X 15 min); | -                                 | -                                             | -                                                                                                                 |

|                                                                             |                                                                                                                                                                                                            |                                                                                                                             |                                                                                                                                                           |                                                                                                                   |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
|                                                                             | respirable fraction, smoke                                                                                                                                                                                 |                                                                                                                             |                                                                                                                                                           |                                                                                                                   |
| Silica, amorphous (7631-86-9)                                               | TWA-TMW: 4 mg/m <sup>3</sup> ; inhalable fraction                                                                                                                                                          | TWA: 3 mg/m <sup>3</sup> ; alveolar fraction<br>TWA: 10 mg/m <sup>3</sup> ; inhalable fraction                              | TWA: 1.0 mg/m <sup>3</sup> ; inhalable fraction                                                                                                           | TWA-GVI: 1.2 mg/m <sup>3</sup> ; respirable dust                                                                  |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1)                | TWA-TMW: 5 mg/m <sup>3</sup> ; respirable fraction, smoke<br>STEL-KZGW: 10 mg/m <sup>3</sup> (2 X 60 min); respirable fraction<br>STEL-KZGW: 10 mg/m <sup>3</sup> (2 X 60 min); respirable fraction, smoke | TWA: 1 mg/m <sup>3</sup> ;                                                                                                  | TWA: 10.0 mg/m <sup>3</sup> ; inhalable fraction<br>TWA: 1.5 mg/m <sup>3</sup> ; respirable fraction                                                      | TWA-GVI: 10 mg/m <sup>3</sup> ; total dust, inhalable particles<br>TWA-GVI: 4 mg/m <sup>3</sup> ; respirable dust |
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4)                             | TWA-TMW: 5 mg/m <sup>3</sup> ; inhalable fraction                                                                                                                                                          | TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup> ;                                                                     | -                                                                                                                                                         | TWA-GVI: 5 mg/m <sup>3</sup> ; STEL-KGVI: 10 mg/m <sup>3</sup> ;                                                  |
| Styrene (100-42-5)                                                          | TWA-TMW: 20 ppm; TWA-TMW: 85 mg/m <sup>3</sup> ; STEL-KZGW: 80 ppm (4 X 15 min); STEL-KZGW: 340 mg/m <sup>3</sup> (4 X 15 min);                                                                            | TWA: 25 ppm; TWA: 108 mg/m <sup>3</sup> ; STEL: 50 ppm; STEL: 216 mg/m <sup>3</sup> ; Sd                                    | TWA: 85.0 mg/m <sup>3</sup> ; STEL: 215.0 mg/m <sup>3</sup> ;                                                                                             | TWA-GVI: 100 ppm; TWA-GVI: 430 mg/m <sup>3</sup> ; STEL-KGVI: 250 ppm; STEL-KGVI: 1080 mg/m <sup>3</sup> ; Sk     |
| Chemical name                                                               | Cyprus (Cabinet of Ministers Regulation 268/2001)                                                                                                                                                          | Czech Republic (Regulation 361/2007)                                                                                        | Denmark (BEK no. 1619 of 19/12/2024)                                                                                                                      | Estonia (Regulation No. 105)                                                                                      |
| 2-Propenenitrile, polymer with ethenylbenzene (9003-54-7)                   | -                                                                                                                                                                                                          | TWA: 5.0 mg/m <sup>3</sup> ; dust                                                                                           | -                                                                                                                                                         | -                                                                                                                 |
| 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene (9003-56-9) | -                                                                                                                                                                                                          | TWA: 5.0 mg/m <sup>3</sup> ; dust                                                                                           | -                                                                                                                                                         | -                                                                                                                 |
| Titanium dioxide (13463-67-7)                                               | -                                                                                                                                                                                                          | -                                                                                                                           | TWA: 6 mg/m <sup>3</sup> ; STEL: 12 mg/m <sup>3</sup> ;                                                                                                   | TWA: 5 mg/m <sup>3</sup> ;                                                                                        |
| C.I. Pigment Brown 24 (68186-90-3)                                          | -                                                                                                                                                                                                          | TWA: 0.5 mg/m <sup>3</sup> ; TWA: 0.5 mg/m <sup>3</sup> ; inhalable fraction of aerosol<br>Ceiling: 1.5 mg/m <sup>3</sup> ; | TWA: 0.5 mg/m <sup>3</sup> ; STEL: 1 mg/m <sup>3</sup> ;                                                                                                  | TWA: 2 mg/m <sup>3</sup> ;                                                                                        |
| Carbon black (1333-86-4)                                                    | -                                                                                                                                                                                                          | TWA: 2.0 mg/m <sup>3</sup> ; dust                                                                                           | TWA: 3.5 mg/m <sup>3</sup> ; STEL: 7 mg/m <sup>3</sup> ;                                                                                                  | TWA: 3 mg/m <sup>3</sup> ;                                                                                        |
| Silica, amorphous (7631-86-9)                                               | -                                                                                                                                                                                                          | TWA: 0.1 mg/m <sup>3</sup> ; respirable fraction<br>TWA: 4.0 mg/m <sup>3</sup> ;                                            | TWA: 1.5 mg/m <sup>3</sup> ; respirable<br>STEL: 3 mg/m <sup>3</sup> ; respirable                                                                         | TWA: 2 mg/m <sup>3</sup> ; respirable dust                                                                        |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1)                | -                                                                                                                                                                                                          | TWA: 10.0 mg/m <sup>3</sup> ; dust                                                                                          | TWA: 5 mg/m <sup>3</sup> ; total<br>TWA: 2 mg/m <sup>3</sup> ; respirable<br>STEL: 10 mg/m <sup>3</sup> ; total<br>STEL: 4 mg/m <sup>3</sup> ; respirable | TWA: 10 mg/m <sup>3</sup> ; total dust<br>TWA: 4 mg/m <sup>3</sup> ; respirable dust                              |
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4)                             | -                                                                                                                                                                                                          | -                                                                                                                           | TWA: 5 mg/m <sup>3</sup> ; STEL: 10 mg/m <sup>3</sup> ;                                                                                                   | -                                                                                                                 |
| Styrene (100-42-5)                                                          | -                                                                                                                                                                                                          | TWA: 100 mg/m <sup>3</sup> ; Ceiling: 400 mg/m <sup>3</sup> ; pSk                                                           | Ceiling: 25 ppm; Ceiling: 105 mg/m <sup>3</sup> ; pSk                                                                                                     | TWA: 20 ppm; TWA: 90 mg/m <sup>3</sup> ; STEL: 50 ppm; STEL: 200 mg/m <sup>3</sup> ; Sk                           |
| Chemical name                                                               | Finland (HTP-ARVOT 2025)                                                                                                                                                                                   | France (INRS ED 6443)                                                                                                       | Germany (TRGS 900)                                                                                                                                        | Germany (DFG)                                                                                                     |

|                                                                 |                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                         |                                                                            |
|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Titanium dioxide (13463-67-7)                                   | -                                                                                                      | TWA-VME: 10 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                                                                                                                     | TWA-AGW;<br>10 mg/m <sup>3</sup> (2(II));<br>inhalable fraction<br>TWA-AGW;<br>1.25 mg/m <sup>3</sup> ();<br>respirable fraction        | TWA-MAK: 0.3 mg/m <sup>3</sup> ; I<br>I(8); respirable fraction            |
| C.I. Pigment Brown 24<br>(68186-90-3)                           | TWA: 0.5 mg/m <sup>3</sup> ;                                                                           | TWA-VME: 0.5 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                                                                                                                    | TWA-AGW;<br>2 mg/m <sup>3</sup> (1(I)); inhalable<br>fraction                                                                           | -                                                                          |
| Carbon black (1333-86-4)                                        | TWA: 3.5 mg/m <sup>3</sup> ;<br>STEL: 7 mg/m <sup>3</sup> ;                                            | TWA-VME: 3.5 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                                                                                                                    | -                                                                                                                                       | -                                                                          |
| C.I. Pigment Green 7<br>(1328-53-6)                             | TWA: 0.02 mg/m <sup>3</sup> ;<br>respirable dust                                                       | -                                                                                                                                                                                                                                                                                                                                                                                   | TWA-AGW;<br>0.2 mg/m <sup>3</sup> (4(II));<br>inhalable fraction<br>TWA-AGW;<br>0.045 mg/m <sup>3</sup> (8(II));<br>respirable fraction | -                                                                          |
| Silica, amorphous (7631-86-9)                                   | TWA: 5 mg/m <sup>3</sup> ;                                                                             | -                                                                                                                                                                                                                                                                                                                                                                                   | TWA-AGW;<br>1 mg/m <sup>3</sup> (8(II));<br>inhalable fraction                                                                          | TWA-MAK: 0.02 mg/m <sup>3</sup> ;<br>II(8); respirable fraction            |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )<br>(1344-28-1) | -                                                                                                      | TWA-VME: 10 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                                                                                                                     | TWA-AGW;<br>10 mg/m <sup>3</sup> (2(II));<br>inhalable fraction<br>TWA-AGW;<br>1.25 mg/m <sup>3</sup> ();<br>respirable fraction        | -                                                                          |
| Zirconium oxide (ZrO <sub>2</sub> )<br>(1314-23-4)              | TWA: 1 mg/m <sup>3</sup> ;                                                                             | -                                                                                                                                                                                                                                                                                                                                                                                   | -                                                                                                                                       | TWA-MAK: 0.3 mg/m <sup>3</sup> ; I<br>I(8); respirable fraction            |
| Styrene (100-42-5)                                              | TWA: 20 ppm;<br>TWA: 86 mg/m <sup>3</sup> ;<br>STEL: 100 ppm;<br>STEL: 430 mg/m <sup>3</sup> ;         | TWA-VME (indicatif): 2<br>3.3 ppm;<br>TWA-VME (indicatif): 1<br>00 mg/m <sup>3</sup> ;<br>TWA-VME (restrictif): 2<br>3.3 ppm;<br>TWA-VME (restrictif): 1<br>00 mg/m <sup>3</sup> ;<br>STEL-VLCT (indicatif):<br>46.6 ppm;<br>STEL-VLCT (indicatif):<br>200 mg/m <sup>3</sup> ;<br>STEL-VLCT (restrictif):<br>46.6 ppm;<br>STEL-VLCT (restrictif):<br>200 mg/m <sup>3</sup> ;<br>dSk | TWA-AGW;<br>20 ppm (2(II));<br>TWA-AGW;<br>86 mg/m <sup>3</sup> (2(II));                                                                | TWA-MAK: 20 ppm; II(2<br>);<br>TWA-MAK: 86 mg/m <sup>3</sup> ; II<br>(2);  |
| Chemical name                                                   | Greece (Presidential<br>Decrees 90/1999,<br>338/2001 and 212/2006)                                     | Hungary (5/2020 ITM<br>Decree)                                                                                                                                                                                                                                                                                                                                                      | Italy (Legislative Decree<br>no. 81)                                                                                                    | Italy (AIDII)                                                              |
| Titanium dioxide (13463-67-7)                                   | TWA: 10 mg/m <sup>3</sup> ;<br>inhalable fraction<br>TWA: 5 mg/m <sup>3</sup> ;<br>respirable fraction | -                                                                                                                                                                                                                                                                                                                                                                                   | -                                                                                                                                       | TWA: 10 mg/m <sup>3</sup> ;                                                |
| C.I. Pigment Brown 24<br>(68186-90-3)                           | TWA: 0.5 mg/m <sup>3</sup> ;                                                                           | TWA-AK: 0.5 mg/m <sup>3</sup> ;<br>TWA-AK: 2 mg/m <sup>3</sup> ;<br>STEL-CK: 2 mg/m <sup>3</sup> ;<br>S                                                                                                                                                                                                                                                                             | -                                                                                                                                       | TWA: 0.5 mg/m <sup>3</sup> ;<br>TWA: 0.003 mg/m <sup>3</sup> ;<br>DS<br>RS |
| Carbon black (1333-86-4)                                        | TWA: 3.5 mg/m <sup>3</sup> ;<br>STEL: 7 mg/m <sup>3</sup> ;                                            | TWA-AK: 3 mg/m <sup>3</sup> ;<br>inhalable concentration                                                                                                                                                                                                                                                                                                                            | -                                                                                                                                       | TWA: 3 mg/m <sup>3</sup> ;                                                 |
| C.I. Pigment Green 7<br>(1328-53-6)                             | -                                                                                                      | TWA-AK: 0.1 mg/m <sup>3</sup> ;<br>STEL-CK: 0.2 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                                                                                 | -                                                                                                                                       | TWA: 1 mg/m <sup>3</sup> ; dust and<br>mist                                |

|                                                                             |                                                                                                                                                                                                                                |                                                                                                           |                                                                                                                 |                                                                                                           |
|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )<br>(1344-28-1)             | TWA: 10 mg/m <sup>3</sup> ;<br>inhalable fraction<br>TWA: 5 mg/m <sup>3</sup> ;<br>respirable fraction                                                                                                                         | TWA-AK: 52 mg/m <sup>3</sup> ;<br>respirable fraction                                                     | -                                                                                                               | TWA: 1 mg/m <sup>3</sup> ;<br>respirable fraction                                                         |
| Zirconium oxide (ZrO <sub>2</sub> )<br>(1314-23-4)                          | TWA: 5 mg/m <sup>3</sup> ;<br>STEL: 10 mg/m <sup>3</sup> ;                                                                                                                                                                     | TWA-AK: 5 mg/m <sup>3</sup> ;<br>STEL-CK: 20 mg/m <sup>3</sup> ;                                          | -                                                                                                               | TWA: 5 mg/m <sup>3</sup> ;<br>STEL (REL): 10 mg/m <sup>3</sup> ;                                          |
| Styrene (100-42-5)                                                          | TWA: 100 ppm;<br>TWA: 425 mg/m <sup>3</sup> ;<br>STEL: 250 ppm;<br>STEL: 1050 mg/m <sup>3</sup> ;                                                                                                                              | TWA-AK: 86 mg/m <sup>3</sup> ;<br>TWA-AK: 20 ppm;<br>STEL-CK: 172 mg/m <sup>3</sup> ;<br>STEL-CK: 40 ppm; | -                                                                                                               | TWA: 20 ppm;<br>TWA: 85 mg/m <sup>3</sup> ;<br>STEL (REL): 40 ppm;<br>STEL (REL): 170 mg/m <sup>3</sup> ; |
| Chemical name                                                               | Ireland (CoP 2024)                                                                                                                                                                                                             | Latvia (Cabinet of Ministers Regulation No. 325)                                                          | Lithuania (HN 23:2011)                                                                                          | Luxembourg (A-N°684)                                                                                      |
| 2-Propenenitrile, polymer with ethenylbenzene (9003-54-7)                   | -                                                                                                                                                                                                                              | TWA: 5 mg/m <sup>3</sup> ; dust                                                                           | -                                                                                                               | -                                                                                                         |
| 2-Propenenitrile, polymer with 1,3-butadiene and ethenylbenzene (9003-56-9) | -                                                                                                                                                                                                                              | TWA: 5 mg/m <sup>3</sup> ; dust                                                                           | -                                                                                                               | -                                                                                                         |
| Titanium dioxide (13463-67-7)                                               | TWA: 10 mg/m <sup>3</sup> ; total inhalable dust<br>TWA: 4 mg/m <sup>3</sup> ;<br>respirable dust<br>STEL: 30 mg/m <sup>3</sup> (calculated); respirable dust<br>STEL: 12 mg/m <sup>3</sup> (calculated);                      | TWA: 10 mg/m <sup>3</sup> ;                                                                               | TWA-IPRD: 5 mg/m <sup>3</sup> ;                                                                                 | -                                                                                                         |
| C.I. Pigment Brown 24 (68186-90-3)                                          | TWA: 0.5 mg/m <sup>3</sup> ;<br>TWA: 2 mg/m <sup>3</sup> ;<br>STEL: 1.5 mg/m <sup>3</sup> (calculated);<br>STEL: 6 mg/m <sup>3</sup> (calculated);                                                                             | TWA: 2 mg/m <sup>3</sup> ;                                                                                | -                                                                                                               | -                                                                                                         |
| Carbon black (1333-86-4)                                                    | TWA: 3 mg/m <sup>3</sup> ;<br>inhalable fraction<br>STEL: 15 mg/m <sup>3</sup> (calculated); inhalable fraction                                                                                                                | -                                                                                                         | -                                                                                                               | -                                                                                                         |
| Silica, amorphous (7631-86-9)                                               | TWA: 6 mg/m <sup>3</sup> ; total inhalable dust<br>TWA: 2.4 mg/m <sup>3</sup> ;<br>respirable dust<br>STEL: 18 mg/m <sup>3</sup> (calculated); respirable dust<br>STEL: 7.2 mg/m <sup>3</sup> (calculated); respirable dust    | TWA: 1 mg/m <sup>3</sup> ;                                                                                | -                                                                                                               | -                                                                                                         |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )<br>(1344-28-1)             | TWA: 10 mg/m <sup>3</sup> ; total inhalable dust<br>TWA: 4 mg/m <sup>3</sup> ;<br>respirable dust<br>STEL: 30 mg/m <sup>3</sup> (calculated); total inhalable dust<br>STEL: 12 mg/m <sup>3</sup> (calculated); respirable dust | TWA: 6 mg/m <sup>3</sup> ;<br>disintegration aerosol                                                      | TWA-IPRD: 5 mg/m <sup>3</sup> ;<br>inhalable fraction<br>TWA-IPRD: 2 mg/m <sup>3</sup> ;<br>respirable fraction | -                                                                                                         |
| Zirconium oxide (ZrO <sub>2</sub> )                                         | TWA: 5 mg/m <sup>3</sup> ;                                                                                                                                                                                                     | -                                                                                                         | TWA-IPRD: 6 mg/m <sup>3</sup> ;                                                                                 | -                                                                                                         |

|                                                              |                                                                                               |                                                             |                                                                                                                                                                                                                                                                              |                                                                                                                   |
|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| (1314-23-4)                                                  | STEL: 10 mg/m <sup>3</sup> ;                                                                  |                                                             |                                                                                                                                                                                                                                                                              |                                                                                                                   |
| Styrene (100-42-5)                                           | TWA: 85 mg/m <sup>3</sup> ;<br>TWA: 20 ppm;<br>STEL: 40 ppm;<br>STEL: 170 mg/m <sup>3</sup> ; | TWA: 10 mg/m <sup>3</sup> ;<br>STEL: 30 mg/m <sup>3</sup> ; | TWA-IPRD: 20 ppm;<br>TWA-IPRD: 90 mg/m <sup>3</sup> ;<br>TWA-IPRD: 10 ppm;<br>STEL-TPRD: 50 ppm;<br>STEL-TPRD: 200 mg/m <sup>3</sup> ;<br>Sk                                                                                                                                 | -                                                                                                                 |
| Chemical name                                                | Malta (Subsidiary Legislation 424.24)                                                         | Netherlands (Working Conditions Regulations)                | Norway (FOR-2011-12-06-1358)                                                                                                                                                                                                                                                 | Poland (Legislative Journal 2018 item 1286)                                                                       |
| Titanium dioxide (13463-67-7)                                | -                                                                                             | -                                                           | TWA: 5 mg/m <sup>3</sup> ;<br>STEL: 10 mg/m <sup>3</sup> (value calculated);                                                                                                                                                                                                 | TWA-NDS: 10 mg/m <sup>3</sup> ;<br>inhalable fraction<br>STEL-NDSCh: 30 mg/m <sup>3</sup> ;                       |
| C.I. Pigment Brown 24 (68186-90-3)                           | TWA: 2 mg/m <sup>3</sup> ;                                                                    | TWA: 0.5 mg/m <sup>3</sup> ;                                | TWA: 0.5 mg/m <sup>3</sup> ;<br>STEL: 1.5 mg/m <sup>3</sup> (value calculated);                                                                                                                                                                                              | TWA-NDS: 0.5 mg/m <sup>3</sup> ;<br>TWA-NDS: 10 mg/m <sup>3</sup> ;<br>STEL-NDSCh: 30 mg/m <sup>3</sup> ;         |
| Carbon black (1333-86-4)                                     | -                                                                                             | -                                                           | TWA: 3.5 mg/m <sup>3</sup> ;<br>STEL: 7 mg/m <sup>3</sup> (value calculated);                                                                                                                                                                                                | TWA-NDS: 4 mg/m <sup>3</sup> ;<br>inhalable fraction                                                              |
| Silica, amorphous (7631-86-9)                                | -                                                                                             | -                                                           | TWA: 1.5 mg/m <sup>3</sup> ;<br>respirable dust<br>STEL: 3 mg/m <sup>3</sup> (value calculated); respirable dust                                                                                                                                                             | TWA-NDS: 10 mg/m <sup>3</sup> ;<br>inhalable fraction<br>TWA-NDS: 2 mg/m <sup>3</sup> ;<br>respirable fraction    |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | -                                                                                             | -                                                           | TWA: 10 mg/m <sup>3</sup> ;<br>STEL: 20 mg/m <sup>3</sup> (set equal to the limit value for Nuisance dust; value calculated);                                                                                                                                                | TWA-NDS: 2.5 mg/m <sup>3</sup> ;<br>inhalable fraction<br>TWA-NDS: 1.2 mg/m <sup>3</sup> ;<br>respirable fraction |
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4)              | -                                                                                             | -                                                           | TWA: 5 mg/m <sup>3</sup> ;<br>STEL: 10 mg/m <sup>3</sup> (value calculated);                                                                                                                                                                                                 | TWA-NDS: 5 mg/m <sup>3</sup> ;<br>STEL-NDSCh: 10 mg/m <sup>3</sup> ;                                              |
| Styrene (100-42-5)                                           | -                                                                                             | -                                                           | TWA: 25 ppm;<br>TWA: 105 mg/m <sup>3</sup> ;<br>STEL: 37.5 ppm (value calculated);<br>STEL: 131.25 mg/m <sup>3</sup> (value calculated);                                                                                                                                     | TWA-NDS: 50 mg/m <sup>3</sup> ;<br>STEL-NDSCh: 100 mg/m <sup>3</sup> ;                                            |
| Chemical name                                                | Portugal (NP 1796:2014)                                                                       | Romania (Government Decision no. 1218/2006)                 | Slovakia (Gov. Decree 122/2024)                                                                                                                                                                                                                                              | Slovenia (Regulation Nos. 100/2001 and 29/2024)                                                                   |
| Titanium dioxide (13463-67-7)                                | TWA (VLE-MP): 10 mg/m <sup>3</sup> ;                                                          | TWA: 10 mg/m <sup>3</sup> ;<br>STEL: 15 mg/m <sup>3</sup> ; | TWA: 5 mg/m <sup>3</sup> ;                                                                                                                                                                                                                                                   | -                                                                                                                 |
| C.I. Pigment Brown 24 (68186-90-3)                           | TWA (VLE-MP): 0.5 mg/m <sup>3</sup> ;                                                         | TWA: 0.5 mg/m <sup>3</sup> ;                                | TWA: 0.5 mg/m <sup>3</sup> ; total dust                                                                                                                                                                                                                                      | -                                                                                                                 |
| Carbon black (1333-86-4)                                     | TWA (VLE-MP): 3 mg/m <sup>3</sup> ; inhalable fraction                                        | -                                                           | TWA: 2 mg/m <sup>3</sup> ;<br>respirable fraction, 5% or less fibrogenic component<br>TWA: 10 mg/m <sup>3</sup> ;<br>respirable fraction, greater than 5% fibrogenic component<br>TWA: 10 mg/m <sup>3</sup> ; total aerosol<br>Ceiling: 10 mg/m <sup>3</sup> ; solid aerosol | -                                                                                                                 |

|                                                              |                                                                              |                                                                                                                                                                                                                            |                                                                                                                                                                                        |                                                                                                                                                                                           |
|--------------------------------------------------------------|------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Silica, amorphous (7631-86-9)                                | -                                                                            | -                                                                                                                                                                                                                          | Ceiling: 0.3 mg/m <sup>3</sup> ; solid aerosol                                                                                                                                         | TWA: 4 mg/m <sup>3</sup> ; inhalable fraction, gel                                                                                                                                        |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | TWA (VLE-MP): 1 mg/m <sup>3</sup> ; respirable fraction                      | TWA: 2 mg/m <sup>3</sup> ; aerosols<br>TWA: 3 mg/m <sup>3</sup> ; dust<br>TWA: 1 mg/m <sup>3</sup> ; fume<br>STEL: 5 mg/m <sup>3</sup> ; aerosols<br>STEL: 10 mg/m <sup>3</sup> ; dust<br>STEL: 3 mg/m <sup>3</sup> ; fume | TWA: 4 mg/m <sup>3</sup> ; inhalable dust<br>TWA: 1.5 mg/m <sup>3</sup> ; respirable dust                                                                                              | -                                                                                                                                                                                         |
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4)              | TWA (VLE-MP): 5 mg/m <sup>3</sup> ;<br>STEL (VLE-CD): 10 mg/m <sup>3</sup> ; | TWA: 5 mg/m <sup>3</sup> ;<br>STEL: 10 mg/m <sup>3</sup> ;                                                                                                                                                                 | TWA: 1 mg/m <sup>3</sup> ;                                                                                                                                                             | TWA: 1 mg/m <sup>3</sup> ; inhalable fraction<br>STEL: 1 mg/m <sup>3</sup> ; inhalable fraction                                                                                           |
| Styrene (100-42-5)                                           | TWA (VLE-MP): 20 ppm;<br>STEL (VLE-CD): 40 ppm;                              | TWA: 12 ppm;<br>TWA: 50 mg/m <sup>3</sup> ;<br>STEL: 35 ppm;<br>STEL: 150 mg/m <sup>3</sup> ;                                                                                                                              | TWA: 20 ppm;<br>TWA: 90 mg/m <sup>3</sup> ;<br>Ceiling: 200 mg/m <sup>3</sup> ;                                                                                                        | TWA: 20 ppm;<br>TWA: 86 mg/m <sup>3</sup> ;<br>STEL: 40 ppm;<br>STEL: 172 mg/m <sup>3</sup> ;                                                                                             |
| Chemical name                                                | Spain (Occupational exposure limits for chemical agents in Spain, 2025)      | Sweden (AFS 2023:14)                                                                                                                                                                                                       | Switzerland (MAK Values)                                                                                                                                                               | United Kingdom                                                                                                                                                                            |
| Titanium dioxide (13463-67-7)                                | TWA-(VLA-ED): 10 mg/m <sup>3</sup> ;                                         | TLV-NGV: 5 mg/m <sup>3</sup> ; total dust                                                                                                                                                                                  | TWA-MAK: 3 mg/m <sup>3</sup> ; respirable dust<br>TWA-MAK: 10 mg/m <sup>3</sup> ; inhalable dust                                                                                       | TWA: 10 mg/m <sup>3</sup> ; total inhalable<br>TWA: 4 mg/m <sup>3</sup> ; respirable<br>STEL: 30 mg/m <sup>3</sup> ; total inhalable<br>STEL: 12 mg/m <sup>3</sup> ; respirable           |
| C.I. Pigment Brown 24 (68186-90-3)                           | TWA-(VLA-ED): 0.5 mg/m <sup>3</sup> ;                                        | TLV-NGV: 0.25 mg/m <sup>3</sup> ; inhalable fraction<br>TLV-NGV: 0.5 mg/m <sup>3</sup> ; total dust                                                                                                                        | TWA-MAK: 0.5 mg/m <sup>3</sup> ; inhalable dust<br>S                                                                                                                                   | TWA: 0.5 mg/m <sup>3</sup> ;<br>STEL: 1.5 mg/m <sup>3</sup> ;                                                                                                                             |
| Carbon black (1333-86-4)                                     | TWA-(VLA-ED): 3.5 mg/m <sup>3</sup> ;                                        | TLV-NGV: 3 mg/m <sup>3</sup> ; inhalable fraction                                                                                                                                                                          | -                                                                                                                                                                                      | TWA: 3.5 mg/m <sup>3</sup> ;<br>STEL: 7 mg/m <sup>3</sup> ;                                                                                                                               |
| C.I. Pigment Green 7 (1328-53-6)                             | TWA-(VLA-ED): 0.01 mg/m <sup>3</sup> ; respirable fraction                   | -                                                                                                                                                                                                                          | -                                                                                                                                                                                      | TWA: 1 mg/m <sup>3</sup> ; dust and mist<br>STEL: 2 mg/m <sup>3</sup> ; dust and mist                                                                                                     |
| Silica, amorphous (7631-86-9)                                | -                                                                            | -                                                                                                                                                                                                                          | TWA-MAK: 4 mg/m <sup>3</sup> ; inhalable dust                                                                                                                                          | TWA: 6 mg/m <sup>3</sup> ; inhalable dust<br>TWA: 2.4 mg/m <sup>3</sup> ; respirable dust<br>STEL: 18 mg/m <sup>3</sup> ; inhalable dust<br>STEL: 7.2 mg/m <sup>3</sup> ; respirable dust |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | TWA-(VLA-ED): 10 mg/m <sup>3</sup> ;                                         | TLV-NGV: 5 mg/m <sup>3</sup> ; total dust<br>TLV-NGV: 2 mg/m <sup>3</sup> ; respirable fraction                                                                                                                            | TWA-MAK: 3 mg/m <sup>3</sup> ; respirable dust, smoke<br>TWA-MAK: 3 mg/m <sup>3</sup> ;<br>TWA-MAK: 10 mg/m <sup>3</sup> ;<br>STEL-KZGW: 24 mg/m <sup>3</sup> ; respirable dust, smoke | TWA: 10 mg/m <sup>3</sup> ; inhalable dust<br>TWA: 4 mg/m <sup>3</sup> ; respirable dust<br>STEL: 30 mg/m <sup>3</sup> ; inhalable dust<br>STEL: 12 mg/m <sup>3</sup> ; respirable dust   |
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4)              | TWA-(VLA-ED): 5 mg/m <sup>3</sup> ;<br>STEL (VLA-EC): 10 mg/m <sup>3</sup> ; | -                                                                                                                                                                                                                          | TWA-MAK: 3 mg/m <sup>3</sup> ; respirable dust                                                                                                                                         | TWA: 5 mg/m <sup>3</sup> ;<br>STEL: 10 mg/m <sup>3</sup> ;                                                                                                                                |
| Styrene (100-42-5)                                           | TWA-(VLA-ED): 20                                                             | TLV-NGV: 10 ppm;                                                                                                                                                                                                           | TWA-MAK: 20 ppm;                                                                                                                                                                       | TWA: 100 ppm;                                                                                                                                                                             |

|  |                                                                                                                           |                                                                                                                                |                                                                                                |                                                                                  |
|--|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|  | ppm;<br>TWA-(VLA-ED): 86<br>mg/m <sup>3</sup> ;<br>STEL (VLA-EC): 40<br>ppm;<br>STEL (VLA-EC): 172<br>mg/m <sup>3</sup> ; | TLV-NGV: 43 mg/m <sup>3</sup> ;<br>STEL (Vägledande<br>KGV): 20 ppm;<br>STEL (Vägledande<br>KGV): 86 mg/m <sup>3</sup> ;<br>Sk | TWA-MAK: 85 mg/m <sup>3</sup> ;<br>STEL-KZGW: 40 ppm;<br>STEL-KZGW: 170<br>mg/m <sup>3</sup> ; | TWA: 430 mg/m <sup>3</sup> ;<br>STEL: 250 ppm;<br>STEL: 1080 mg/m <sup>3</sup> ; |
|--|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|

**Note** See section 16 for terms and abbreviations

#### Biological occupational exposure limits

| Chemical name                                                   | European Union<br>(Directive 98/24/EC)  | Austria (VGÜ 2008)                                                                                                                       | Bulgaria (Regulation<br>No. 13)                                                                                                                                                                       | Croatia (Official<br>Gazette No.<br>91/2018)                                                                                                                                                                                                                                                                                                                                                                                                                             | Czech Republic<br>(Decree Nos.<br>181/2015 and<br>240/2015)                                                                                                                                                                            |
|-----------------------------------------------------------------|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Carbon black (1333-86-4)                                        | -                                       | Check<br>( - )                                                                                                                           | -                                                                                                                                                                                                     | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | -                                                                                                                                                                                                                                      |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )<br>(1344-28-1) | -                                       | Check<br>60 µg/g Creatinine<br>(urine - Aluminum<br>after end of work<br>day, at the end of a<br>work week/end of<br>the shift)<br>( - ) | -                                                                                                                                                                                                     | -                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | -                                                                                                                                                                                                                                      |
| Styrene (100-42-5)                                              | -                                       | -                                                                                                                                        | 600 mg/g Creatinine<br>- urine (Mandelic<br>acid and<br>Phenylglyoxylic acid<br>- total) - at the end<br>of exposure or end<br>of work shift, in<br>remote exposure -<br>after several work<br>shifts | 20.0 µg/L - blood<br>(Styrene) - about 16<br>hours after<br>completion of the<br>work shift<br>1.0 g/g Creatinine -<br>urine (Mandelic<br>acid) - at the end of<br>the work shift<br>240 mg/g Creatinine<br>- urine<br>(Phenylglyoxylic<br>acid) - at the end of<br>the work shift<br>600 mg/g Creatinine<br>- urine (Mandelic<br>acid and<br>Phenylglyoxylic<br>acid) - at the end of<br>the work shift; at<br>chronic exposure in<br>the middle of the<br>working week | 300 µmol/mmol<br>Creatinine (urine -<br>Mandelic acid end of<br>shift)<br>400 mg/g Creatinine<br>(urine - Mandelic<br>acid end of shift)<br>600 mg/g Creatinine<br>(urine - Mandelic<br>acid and Phenylglyoxylic<br>acid end of shift) |
| Chemical name                                                   | Denmark (BEK no.<br>1619 of 19/12/2024) | Finland<br>(HTP-ARVOT 2025)                                                                                                              | France (Decree<br>2009-157)                                                                                                                                                                           | Germany (DFG)                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Germany (TRGS<br>903)                                                                                                                                                                                                                  |
| C.I. Pigment Brown 24<br>(68186-90-3)                           | -                                       | -                                                                                                                                        | 2.5 µg/L - urine<br>(Total Chromium) -<br>end of shift at end of<br>workweek                                                                                                                          | 0.2 µg/L - BAR (for<br>long-term<br>exposures: at the<br>end of the shift after<br>several shifts) urine<br>0.6 µg/L - BAR (end<br>of exposure or end<br>of shift) urine                                                                                                                                                                                                                                                                                                 | -                                                                                                                                                                                                                                      |
| Styrene (100-42-5)                                              | -                                       | 1.2 mmol/L (urine -                                                                                                                      | 0.04 mg/L - urine                                                                                                                                                                                     | 600 mg/g Creatinine                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 600 mg/g Creatinine                                                                                                                                                                                                                    |

|                                                              |                                                                                                                                                                   | MAPGA in the morning after a working day)                                                                                            | (Styrene) - end of shift<br>600 mg/g creatinine - urine (Mandelic acid and Phenylglyoxyl) - end of shift, preferably at end of workweek                                                                                                                                                                         | (urine - Mandelic acid plus Phenylglyoxylic acid end of shift)<br>600 mg/g Creatinine (urine - Mandelic acid plus Phenylglyoxylic acid for long-term exposures: at the end of the shift after several shifts)<br>600 mg/g Creatinine - BAT (end of exposure or end of shift) urine | (urine - Mandelic acid plus Phenylglyoxylic acid end of shift)<br>600 mg/g Creatinine (urine - Mandelic acid plus Phenylglyoxylic acid for long-term exposures: at the end of the shift after several shifts) |
|--------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chemical name                                                | Hungary (5/2020 ITM Decree)                                                                                                                                       | Ireland (CoP 2024)                                                                                                                   | Italy (Legislative Decree no. 81)                                                                                                                                                                                                                                                                               | Italy (AIDII)                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                               |
| Styrene (100-42-5)                                           | 600 mg/g Creatinine (urine - Mandelic acid at end of workweek, end of shift)<br>450 µmol/mmol Creatinine (urine - Mandelic acid at end of workweek, end of shift) | 400 mg/g Creatinine (urine - Mandelic acid plus Phenylglyoxylic acid end of shift)<br>0.2 mg/L (venous blood - Styrene end of shift) | -                                                                                                                                                                                                                                                                                                               | 40 µg/L - urine (Styrene) - end of shift<br>400 mg/g Creatinine - urine (Mandelic acid plus Phenylglyoxylic acid) - end of shift                                                                                                                                                   |                                                                                                                                                                                                               |
| Chemical name                                                | Latvia (Cabinet of Ministers Regulation No. 325)                                                                                                                  | Luxembourg (A-N°684)                                                                                                                 | Romania (Government Decision no. 1218/2006)                                                                                                                                                                                                                                                                     | Slovakia (Gov. Decree 122/2024)                                                                                                                                                                                                                                                    |                                                                                                                                                                                                               |
| Styrene (100-42-5)                                           | 0.8 g/g Creatinine - urine (Mandelic acid) - end of shift<br>0.55 mg/L - blood (Styrene) - end of shift                                                           | -                                                                                                                                    | 800 mg/g Creatinine - urine (Mandelic acid) - end of shift<br>300 mg/g Creatinine - urine (Mandelic acid) - beginning of next shift<br>100 mg/g Creatinine - urine (Phenylglyoxylic acid) - end of shift<br>0.55 mg/L - blood (Styrene) - end of shift<br>0.02 mg/L - blood (Styrene) - beginning of next shift | 600 mg/g creatinine (urine - Mandelic acid and Phenylglycolic acid after all work shifts)<br>600 mg/g creatinine (urine - Mandelic acid and Phenylglycolic acid end of exposure or work shift)                                                                                     |                                                                                                                                                                                                               |
| Chemical name                                                | Slovenia (Regulation No. 100/2001)                                                                                                                                | Spain (Occupational exposure limits for chemical agents in Spain, 2025)                                                              | Switzerland (BAT Values)                                                                                                                                                                                                                                                                                        | United Kingdom                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                               |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | -                                                                                                                                                                 | -                                                                                                                                    | 50 µg/g creatinine (urine - Aluminum after several shifts (for long-term exposures))<br>0.21 µmol/mmol creatinine (urine - Aluminum after several shifts (for long-term exposures))                                                                                                                             | -                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                               |
| Styrene (100-42-5)                                           | 600 mg/g Creatinine - urine (Mandelic acid and Phenylglyoxylic acid) - at the end of the work shift; for long-term                                                | 400 mg/g Creatinine (- Mandelic acid plus Phenylglyoxylic acid end of shift)<br>0.2 mg/L (venous blood                               | 600 mg/g creatinine (urine - Mandelic acid and Phenylglyoxylic acid end of shift)                                                                                                                                                                                                                               | -                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                               |

|  |                                                                           |                         |  |  |
|--|---------------------------------------------------------------------------|-------------------------|--|--|
|  | exposure: at the end of the work shift after several consecutive workdays | - Styrene end of shift) |  |  |
|--|---------------------------------------------------------------------------|-------------------------|--|--|

**Note:** See section 16 for terms and abbreviations.

#### Information on monitoring procedures

Refer to European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) or equivalent national standard(s). Refer to European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) or equivalent national standard(s). Refer to European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) or equivalent national standard(s).

#### Derived No Effect Level (DNEL) - Workers

| Chemical name                                       | Oral | Dermal                    | Inhalation                                                       |
|-----------------------------------------------------|------|---------------------------|------------------------------------------------------------------|
| Carbon black (1333-86-4)                            | -    | -                         | 1 mg/m <sup>3</sup> [4] [6]                                      |
| Amides, C16 and C18, N,N'-ethylenebis- (68390-94-3) | -    | 10 mg/kg bw/day [4] [6]   | 35.26 mg/m <sup>3</sup> [4] [6]                                  |
| C.I. Pigment Green 7 (1328-53-6)                    | -    | 4.67 mg/kg bw/day [4] [6] | 16.4 mg/m <sup>3</sup> [4] [6]<br>1.25 mg/m <sup>3</sup> [5] [6] |

#### Notes

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

#### Derived No Effect Level (DNEL) - General Public

| Chemical name                                       | Oral                      | Dermal | Inhalation                                                      |
|-----------------------------------------------------|---------------------------|--------|-----------------------------------------------------------------|
| Carbon black (1333-86-4)                            | -                         | -      | 0.06 mg/m <sup>3</sup> [4] [6]                                  |
| Amides, C16 and C18, N,N'-ethylenebis- (68390-94-3) | 5 mg/kg bw/day [4] [6]    | -      | 8.7 mg/m <sup>3</sup> [4] [6]                                   |
| C.I. Pigment Green 7 (1328-53-6)                    | 1.67 mg/kg bw/day [4] [6] | -      | 2.9 mg/m <sup>3</sup> [4] [6]<br>1.25 mg/m <sup>3</sup> [5] [6] |

#### Notes

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

#### Predicted No Effect Concentration (PNEC)

| Chemical name                                                | Freshwater | Freshwater (intermittent release) | Marine water | Marine water (intermittent release) | Air |
|--------------------------------------------------------------|------------|-----------------------------------|--------------|-------------------------------------|-----|
| Carbon black (1333-86-4)                                     | 50 mg/L    | -                                 | -            | -                                   | -   |
| C.I. Pigment Green 7 (1328-53-6)                             | 0.1 mg/L   | 1 mg/L                            | 10 µg/L      | 0.1 mg/L                            | -   |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | 74.9 µg/L  | -                                 | -            | -                                   | -   |

| Chemical name                                                | Freshwater sediment | Marine sediment | Sewage treatment | Soil | Food chain |
|--------------------------------------------------------------|---------------------|-----------------|------------------|------|------------|
| C.I. Pigment Green 7 (1328-53-6)                             | -                   | -               | 1000 mg/L        | -    | -          |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | -                   | -               | 20 mg/L          | -    | -          |

## 8.2. Exposure controls

|                                        |                                                                                                                                      |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls</b>            | Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. |
| <b>Personal protective equipment</b>   |                                                                                                                                      |
| <b>Eye/face protection</b>             | Wear safety glasses with side shields (or goggles).                                                                                  |
| <b>Hand protection</b>                 | Wear suitable gloves.                                                                                                                |
| <b>Skin and body protection</b>        | Wear suitable protective clothing.                                                                                                   |
| <b>Respiratory protection</b>          | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.                     |
| <b>Environmental exposure controls</b> | Local authorities should be advised if significant spillages cannot be contained.                                                    |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                       |                          |
|-----------------------|--------------------------|
| <b>Appearance</b>     | Granulate Cylindric      |
| <b>Physical state</b> | Solid                    |
| <b>Color</b>          | Grey                     |
| <b>Odor</b>           | Slight                   |
| <b>Odor threshold</b> | No information available |

| <u>Property</u>                                                 | <u>Values</u>     | <u>Remarks • Method</u> |
|-----------------------------------------------------------------|-------------------|-------------------------|
| <b>Melting point / freezing point</b>                           | No data available | None known              |
| <b>Boiling point or initial boiling point and boiling range</b> | No data available |                         |
| <b>Flammability</b>                                             | No data available | None known              |
| <b>Lower and upper explosion limit/flammability limit</b>       |                   | None known              |
| Lower explosion limit                                           | No data available |                         |
| Upper explosion limit                                           | No data available |                         |
| <b>Flash point</b>                                              | No data available | None known              |
| <b>Autoignition temperature</b>                                 | No data available | None known              |
| <b>Decomposition temperature</b>                                | No data available | None known              |
| SADT (°C)                                                       | No data available | None known              |
| <b>pH</b>                                                       | No data available | None known              |
| pH (as aqueous solution)                                        | No data available | None known              |
| <b>Kinematic viscosity</b>                                      | No data available | None known              |
| Dynamic viscosity                                               | No data available | None known              |
| <b>Solubility</b>                                               | No data available | None known              |
| Water solubility                                                | No data available | None known              |

|                                                   |                   |            |
|---------------------------------------------------|-------------------|------------|
| Partition coefficient n-octanol/water (log value) | No data available | None known |
| Vapor pressure                                    | No data available | None known |
| Density and/or relative density                   | No data available | None known |
| Bulk density                                      | No data available |            |
| Liquid Density                                    | No data available |            |
| Relative vapor density                            | No data available | None known |
| Particle characteristics                          |                   | None known |
| Particle Size                                     | No data available |            |
| Particle Size Distribution                        | No data available |            |

**9.2. Other information****9.2.1. Information with regard to physical hazard classes**

No information available

**9.2.2. Other safety characteristics**

No information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Reactivity No information available.

**10.2. Chemical stability**

Stability Stable under recommended storage conditions.

**Explosion data**

Sensitivity to mechanical impact None.  
Sensitivity to static discharge None.

**10.3. Possibility of hazardous reactions**

Possibility of hazardous reactions None under normal processing.

**10.4. Conditions to avoid**

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. static discharge (electrostatic discharge). Storage near to reactive materials. Dust formation. Protect from moisture.

**10.5. Incompatible materials**

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

**10.6. Hazardous decomposition products**

Hazardous decomposition products None under normal use conditions.

**SECTION 11: Toxicological information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure**

**Product Information**

|                     |                                                                   |
|---------------------|-------------------------------------------------------------------|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. |

**Symptoms related to the physical, chemical and toxicological characteristics**

|                       |                                                                   |
|-----------------------|-------------------------------------------------------------------|
| <b>Symptoms</b>       | No information available.                                         |
| <b>Acute toxicity</b> | Based on available data, the classification criteria are not met. |

**Numerical measures of toxicity****Component Information**

| Chemical name                                          | Oral LD50 | Dermal LD50             | Inhalation LC50 |
|--------------------------------------------------------|-----------|-------------------------|-----------------|
| Carbon black (1333-86-4)                               | -         | > 2000 mg/kg ( Rabbit ) | -               |
| Amides, C16 and C18,<br>N,N'-ethylenebis- (68390-94-3) | -         | > 2000 mg/kg ( Rabbit ) | -               |
| Silica, amorphous (7631-86-9)                          | -         | > 5000 mg/kg ( Rabbit ) | -               |
| Styrene (100-42-5)                                     | -         | > 2000 mg/kg ( Rat )    | -               |

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

|                                          |                                                                   |
|------------------------------------------|-------------------------------------------------------------------|
| <b>Skin corrosion/irritation</b>         | Based on available data, the classification criteria are not met. |
| <b>Serious eye damage/eye irritation</b> | Based on available data, the classification criteria are not met. |
| <b>Respiratory or skin sensitization</b> | Based on available data, the classification criteria are not met. |
| <b>Germ cell mutagenicity</b>            | Based on available data, the classification criteria are not met. |

**Carcinogenicity** Based on available data, the classification criteria are not met.

| Chemical name                 | European Union |
|-------------------------------|----------------|
| Titanium dioxide (13463-67-7) | Carc. 2        |

**Reproductive toxicity** Based on available data, the classification criteria are not met.  
The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as reproductive toxins.

| Chemical name      | European Union |
|--------------------|----------------|
| Styrene (100-42-5) | Repr. 2        |

|                                 |                                                                   |
|---------------------------------|-------------------------------------------------------------------|
| <b>STOT - single exposure</b>   | Based on available data, the classification criteria are not met. |
| <b>STOT - repeated exposure</b> | Based on available data, the classification criteria are not met. |
| <b>Aspiration hazard</b>        | Based on available data, the classification criteria are not met. |

**11.2. Information on other hazards****11.2.1. Endocrine disrupting properties**

**Endocrine disruption for human health** Based on available data, the classification criteria are not met.

**11.2.2. Other information**

**Other adverse effects** No information available.

**SECTION 12: Ecological information**

**12.1. Toxicity** Based on available data, the classification criteria are not met.

**Terrestrial toxicity****Component Information**

| Chemical name      | Earthworm                                                                                                                                 | Avian | Honeybees |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------|
| Styrene (100-42-5) | Acute Toxicity: LC50 = 120 mg/kg (Eisenia foetida, 14 Days soil dry weight)<br>NOEC = 44 mg/kg (Eisenia foetida, 14 Days soil dry weight) | -     | -         |

**12.2. Persistence and degradability** No information available.

**12.3. Bioaccumulative potential****Component Information**

| Chemical name      | Partition coefficient | Bioconcentration factor (BCF) | Trophic magnification factor (TMF) |
|--------------------|-----------------------|-------------------------------|------------------------------------|
| Styrene (100-42-5) | 2.96                  | 2                             | -                                  |

**12.4. Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment** This product does not contain any substances that are assessed to be a PBT or a vPvB.

| Chemical name                                                | PBT and vPvB assessment |
|--------------------------------------------------------------|-------------------------|
| Titanium dioxide (13463-67-7)                                | Not PBT/vPvB            |
| C.I. Pigment Brown 24 (68186-90-3)                           | Not PBT/vPvB            |
| Carbon black (1333-86-4)                                     | Not PBT/vPvB            |
| Amides, C16 and C18, N,N'-ethylenbis- (68390-94-3)           | Not PBT/vPvB            |
| C.I. Pigment Green 7 (1328-53-6)                             | Not PBT/vPvB            |
| Silica, amorphous (7631-86-9)                                | Not PBT/vPvB            |
| Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) (1344-28-1) | Not PBT/vPvB            |

|                                                 |              |
|-------------------------------------------------|--------------|
| Zirconium oxide (ZrO <sub>2</sub> ) (1314-23-4) | Not PBT/vPvB |
| Styrene (100-42-5)                              | Not PBT/vPvB |

**12.6. Endocrine disrupting properties**

Based on available data, the classification criteria are not met.

**12.7. Other adverse effects**

No information available.

**PMT or vPvM properties**

Based on available data, the classification criteria are not met.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Waste from residues/unused products**

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Do not reuse empty containers.

**SECTION 14: Transport information****IATA**

|                                   |                |
|-----------------------------------|----------------|
| 14.1 UN number or ID number       | Not regulated  |
| 14.2 UN proper shipping name      | Not regulated  |
| 14.3 Transport hazard class(es)   | Not regulated  |
| 14.4 Packing group                | Not regulated  |
| 14.5 Environmental hazards        | Not applicable |
| 14.6 Special precautions for user |                |
| Special Provisions                | None           |

**IMDG**

|                                                              |                          |
|--------------------------------------------------------------|--------------------------|
| 14.1 UN number or ID number                                  | Not regulated            |
| 14.2 UN proper shipping name                                 | Not regulated            |
| 14.3 Transport hazard class(es)                              | Not regulated            |
| 14.4 Packing group                                           | Not regulated            |
| 14.5 Environmental hazards                                   | Not applicable           |
| 14.6 Special precautions for user                            |                          |
| Special Provisions                                           | None                     |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available |

**RID**

|                                   |                |
|-----------------------------------|----------------|
| 14.1 UN number or ID number       | Not regulated  |
| 14.2 UN proper shipping name      | Not regulated  |
| 14.3 Transport hazard class(es)   | Not regulated  |
| 14.4 Packing group                | Not regulated  |
| 14.5 Environmental hazards        | Not applicable |
| 14.6 Special precautions for user |                |
| Special Provisions                | None           |

**ADR**

|                                   |                |
|-----------------------------------|----------------|
| 14.1 UN number or ID number       | Not regulated  |
| 14.2 UN proper shipping name      | Not regulated  |
| 14.3 Transport hazard class(es)   | Not regulated  |
| 14.4 Packing group                | Not regulated  |
| 14.5 Environmental hazards        | Not applicable |
| 14.6 Special precautions for user |                |

Special Provisions None

**ADN**

14.1 UN number or ID number Not regulated  
 14.2 UN proper shipping name Not regulated  
 14.3 Transport hazard class(es) Not regulated  
 14.4 Packing group Not regulated  
 14.5 Environmental hazard Not applicable  
 14.6 Special precautions for user  
 Special Provisions None

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****Germany**

Water hazard class (WGK) non-hazardous to water (nwg)

**European Union****Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

| Chemical name                     | Restricted substance per REACH Annex XVII | Substance subject to authorization per REACH Annex XIV |
|-----------------------------------|-------------------------------------------|--------------------------------------------------------|
| Titanium dioxide<br>13463-67-7    | Use restricted. See entry 75.             | -                                                      |
| C.I. Pigment Green 7<br>1328-53-6 | Use restricted. See entry 75.             | -                                                      |
| Styrene<br>100-42-5               | Use restricted. See entry 75.             | -                                                      |

**Regulation (EC) No. 1907/2006 (REACH), Annex XVII, entry number 78 as regards synthetic polymer microplastics (Commission Regulation (EU) 2023/2055):**

The synthetic polymer microparticles supplied are subject to conditions laid down by entry 78 of Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council.

|                                                                                               |                                        |
|-----------------------------------------------------------------------------------------------|----------------------------------------|
| <b>Maximum concentration of Synthetic Polymer Microparticles in the substance or mixture:</b> | 100%                                   |
| <b>Generic information on the identity of the polymers in the substance or mixture::</b>      | Polymers of styrene, in primary forms. |

**International Inventories**

TSCA Complies  
 DSL/NDSL Not determined  
 ENCS Not determined  
 IECSC Not determined  
 KECL Not determined  
 PICCS Not determined  
 AIIC Not determined  
 NZIoC Complies  
 TCSI Not determined

**15.2. Chemical safety assessment**

Chemical Safety Report No information available

**SECTION 16: Other information**

**Full text of any hazard and/or precautionary statements referred to under Sections 2-15**

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H361d - Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

**Key or legend to abbreviations and acronyms used in the safety data sheet***List may include phrases which are not applicable to this product*

|           |                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------|
| ACGIH     | American Conference of Governmental Industrial Hygienists                                           |
| AIDII     | Italian Association of Industrial Hygienists                                                        |
| ADN       | Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)     |
| ADR       | Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)                 |
| AIIC      | Australian Inventory of Industrial Chemicals                                                        |
| ATE       | Acute Toxicity Estimate                                                                             |
| ASTM      | American Society for the Testing of Materials                                                       |
| bar       | Biological Reference Values for Chemical Compounds in the Work Area                                 |
| BAT       | Biological tolerance values for occupational exposure                                               |
| BEL       | Biological exposure limits                                                                          |
| bw        | Body weight                                                                                         |
| Ceiling   | Maximum limit value                                                                                 |
| CLP       | Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008                    |
| CMR       | Carcinogen, Mutagen or Reproductive Toxicant                                                        |
| DFG       | German Research Foundation                                                                          |
| DOT       | Department of Transportation (United States)                                                        |
| DSL       | Domestic Substances List (Canada)                                                                   |
| ECHA      | European Chemicals Agency                                                                           |
| EC Number | European Community number                                                                           |
| EINECS    | European Inventory of Existing Chemical Substances                                                  |
| ELINCS    | European List of Notified Chemical Substances                                                       |
| EmS       | Emergency Schedule                                                                                  |
| ENCS      | Existing and New Chemical Substances (Japan)                                                        |
| EPA       | U.S. Environmental Protection Agency                                                                |
| EWC       | European Waste Codes                                                                                |
| GHS       | Globally Harmonized System                                                                          |
| IARC      | International Agency for Research on Cancer                                                         |
| IATA      | International Air Transport Association                                                             |
| IBC       | International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk |
| ICAO      | International Civil Aviation Organization                                                           |
| IECSC     | Inventory of Existing Chemical Substances in China                                                  |
| IMDG      | International Maritime Dangerous Goods                                                              |
| IMO       | International Maritime Organization                                                                 |
| ISO       | International Organization for Standardization                                                      |
| KECI      | Korean Existing Chemicals Inventory                                                                 |
| LC50      | Lethal Concentration to 50% of a test population                                                    |
| LD50      | Lethal Dose to 50% of a test population (Median Lethal Dose)                                        |
| MAK       | Maximum Concentration at the Workplace                                                              |
| MAL       | Measuring Technical Hygienic Air Needs                                                              |
| MARPOL    | International Convention for the Prevention of Pollution from Ships                                 |
| MDLPS     | Ministry of Labor and Social Policy                                                                 |
| NDSL      | Non-Domestic Substances List (Canada)                                                               |

|         |                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------|
| n.o.s.  | Not Otherwise Specified                                                                                 |
| NOAEC   | No Observed Adverse Effect Concentration                                                                |
| NOAEL   | No Observed Adverse Effect Level                                                                        |
| NOELR   | No Observable Effect Loading Rate                                                                       |
| NZIoC   | New Zealand Inventory of Chemicals                                                                      |
| OECD    | Organization for Economic Cooperation and Development                                                   |
| OEL     | Occupational exposure limits                                                                            |
| PBT     | Persistent, Bioaccumulative and Toxic substance                                                         |
| PICCS   | Philippines Inventory of Chemicals and Chemical Substances                                              |
| PMT     | Persistent, Mobile and Toxic                                                                            |
| PPE     | Personal protective equipment                                                                           |
| QSAR    | Quantitative Structure Activity Relationship                                                            |
| REACH   | Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006) |
| RID     | Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)                     |
| SADT    | Self-Accelerating Decomposition Temperature                                                             |
| SAR     | Structure-activity relationship                                                                         |
| SDS     | Safety Data Sheet                                                                                       |
| SL      | Surface Limit                                                                                           |
| STEL    | Short Term Exposure Limit                                                                               |
| STOT RE | Specific target organ toxicity - Repeated exposure                                                      |
| STOT SE | Specific target organ toxicity - Single exposure                                                        |
| SVHC    | Substance of very high concern                                                                          |
| TCSI    | Taiwan Chemical Substance Inventory                                                                     |
| TDG     | Transport of Dangerous Goods (Canada)                                                                   |
| TRGS    | Technical Rule for Hazardous Substances                                                                 |
| TSCA    | Toxic Substances Control Act (United States)                                                            |
| TWA     | Time-Weighted Average                                                                                   |
| UN      | United Nations                                                                                          |
| VOC     | Volatile organic compounds                                                                              |
| vPvB    | Very Persistent and Very Bioaccumulative                                                                |
| vPvM    | Very Persistent and Very Mobile                                                                         |
| As      | Allergenic substance                                                                                    |
| C       | Carcinogen                                                                                              |
| DS      | Dermal Sensitizer                                                                                       |
| Ot      | Ototoxicant                                                                                             |
| pOt     | Ototoxicant - potential to cause hearing disorders                                                      |
| PS      | Photosensitizer                                                                                         |
| RS      | Respiratory Sensitizer                                                                                  |
| S       | Sensitizer                                                                                              |
| poS     | Sensitizer - capable of causing occupational asthma                                                     |
| Sa      | Simple asphyxiant                                                                                       |
| Sd      | Skin designation                                                                                        |
| pSd     | Skin designation - potential for cutaneous absorption                                                   |
| Sdv     | Skin designation - vacated                                                                              |
| Sk      | Skin notation                                                                                           |
| dSk     | Skin notation - danger of cutaneous absorption                                                          |
| pSk     | Skin notation - potential for cutaneous absorption                                                      |

| Classification procedure                                        |                    |
|-----------------------------------------------------------------|--------------------|
| Classification according to Regulation (EC) No. 1272/2008 [CLP] | Method Used        |
| Acute oral toxicity                                             | Calculation method |
| Acute dermal toxicity                                           | Calculation method |
| Acute inhalation toxicity - gas                                 | Calculation method |
| Acute inhalation toxicity - vapor                               | Calculation method |
| Acute inhalation toxicity - dust/mist                           | Calculation method |
| Skin corrosion/irritation                                       | Calculation method |

|                                   |                    |
|-----------------------------------|--------------------|
| Serious eye damage/eye irritation | Calculation method |
| Respiratory sensitization         | Calculation method |
| Skin sensitization                | Calculation method |
| Mutagenicity                      | Calculation method |
| Carcinogenicity                   | Calculation method |
| Reproductive toxicity             | Calculation method |
| STOT - single exposure            | Calculation method |
| STOT - repeated exposure          | Calculation method |
| Chronic aquatic toxicity          | Calculation method |
| Acute aquatic toxicity            | Calculation method |
| Aspiration hazard                 | Calculation method |
| Ozone                             | Calculation method |

#### Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 U.S. Environmental Protection Agency  
 U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 U.S. Hazardous Substance Data Bank (HSDB)  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 U.S. National Institute for Occupational Safety and Health (NIOSH)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

#### Limit Value Legal Basis

|                                                   |                                                                                                                                                                                               |
|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| European Union (Directive 98/24/EC)               | Council Directive 98/24/EC of April 7, 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended                               |
| European Union (Directive 2004/37/EC)             | Directive 2004/37/EC of April 29, 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work, as amended                                         |
| Austria (GKV BGBl. II Nr. 330/2024)               | Ordinance on Limit Values for Workplace Substances and on Carcinogens, as amended by BGBl. II Nr. 330/2024, from the Federal Ministry of Economics and Labor                                  |
| Austria (VGÜ 2008)                                | Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, as amended                                    |
| Belgium (Royal Decree 21/01/2020)                 | Royal Decree of March 11, 2002 on the protection of workers' health against risks from chemical agents at work, as amended                                                                    |
| Bulgaria (Regulation No. 13)                      | Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work, as amended                                                   |
| Bulgaria (Regulation No. 10)                      | Regulation No. 10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens, Mutagens or Substances Toxic to Reproduction at Work, as amended |
| Croatia (Official Gazette No. 91/2018)            | Official Gazette No. 91/2018 on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values, as amended              |
| Cyprus (Cabinet of Ministers Regulation 268/2001) | Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances), as amended                                                                     |
| Cyprus (Cabinet of Ministers)                     | Cabinet of Ministers Regulation 153/2001 - Safety and Health in the Working Environment                                                                                                       |

|                                                    |                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Regulation 153/2001)                               | (Chemical Substances-Carcinogens), as amended                                                                                                                                                                                                                                             |
| Czech Republic (Regulation 361/2007)               | Conditions for the Protection of the Health of Employees at Work, Government Regulation 361/2007, as amended                                                                                                                                                                              |
| Czech Republic (Decree Nos. 181/2015 and 240/2015) | Decree 181/2015 and Decree 240/2015, amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests and requirements for reporting work with asbestos and biological agents |
| Denmark (BEK no. 1619 of 19/12/2024)               | Statutory Order No. 507, Order on Limit Values for Substances and Materials, as amended by BEK no. 1619 of 19/12/2024                                                                                                                                                                     |
| Estonia (Regulation No. 105)                       | Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents, Regulation No. 105 of March 20, 2001, as amended                                                                                     |
| Finland (HTP-ARVOT 2025)                           | Regulation on Concentrations Known to be Hazardous, 55/2025, Publications of Ministry of Social Affairs and Health                                                                                                                                                                        |
| France (INRS ED 6443)                              | Occupational Exposure Limit Values, ED 6443, Published 2021 by the INRS (the National Research and Safety Institute for the Prevention of Occupational Accidents and Diseases), as amended                                                                                                |
| France (Decree 2009-157)                           | Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces                                                                                                                                                                                             |
| Germany TRGS                                       | TRGS 900 - Occupational Exposure Limits, Technical Rules for Dangerous Substances, 2025                                                                                                                                                                                                   |
| Germany (TRGS 903)                                 | Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, 2025                                                                                                                                                                                                  |
| Germany (DFG)                                      | MAK and BAT values of Hazardous Chemical Compounds in the Work Area, published by the German Research Foundation on July 1, 2025                                                                                                                                                          |
| Greece (Presidential Decree 90/1999)               | Presidential Decree 90/1999, Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, as amended                                                                                                          |
| Greece (Presidential Decree 212/2006)              | Presidential Decree 212/2006, Protection of workers that are exposed to asbestos                                                                                                                                                                                                          |
| Greece (Presidential Decree 338/2001)              | Presidential Decree 338/2001, Protection of workers' health and safety from exposure to certain chemical substances during the workday                                                                                                                                                    |
| Hungary (5/2020 ITM Decree)                        | 5/2020. (II. 6.) Ministry of Innovation and Technology decree on the protection of the health and safety of workers from the risks related to chemical agents, as amended                                                                                                                 |
| Ireland (CoP 2024)                                 | 2024 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) & the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024)                                                                  |
| Italy (Legislative Decree no. 81)                  | Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Legislative Decree no. 81 of April 9, 2008, as amended                                                                                           |
| Italy (AIDII)                                      | Final Note (1), Ministerial Decree of August 20, 1999 by the Ministry of Health along with the Ministry of Industry, Trade, and Arts                                                                                                                                                      |
| Latvia (Cabinet of Ministers Regulation No. 325)   | Cabinet of Ministers Regulation No. 325 of 2007 - Labor Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, as amended                                                                                                                                 |
| Lithuania (HN 23:2011)                             | Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure limit values for chemical substances - General requirements of measurement and impact assessment, as amended                                                                                                                 |
| Luxembourg (A-N°684)                               | Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace, A-N°684 of 2018                                        |
| Malta (Subsidiary Legislation 424.24)              | Malta Occupational Health and Safety Authority Act: Chapter 424 - Protection of the health and safety of workers from the risks related to chemical agents at work, as amended                                                                                                            |
| Netherlands (Working Conditions Regulations)       | Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XIII, as amended                                                                                                                                                                         |
| Norway (FOR-2011-12-06-1358)                       | Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, as amended                                                                                                                                   |
| Poland (Legislative Journal 2018 item 1286)        | Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment, as amended                                                                                   |
| Portugal (NP 1796:2014)                            | Portuguese Norm NP 1796:2014, Occupational exposure limits and biological exposure indices to chemical agents, Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs)                                                                           |

|                                                                         |                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Romania (Government Decision no. 1218/2006)                             | Governmental Decision No. 1218 from September 6, 2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents |
| Slovakia (Gov. Decree 122/2024)                                         | Government Decree of Slovak Republic 122/2024 of May 22, 2024 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents                                                                             |
| Slovenia (Regulation No. 100/2001)                                      | Regulation for protection of workers against risks related to exposure to chemical substances at the workplace, Annexes I and II, the Official Gazette of the Republic of Slovenia, No. 100/2001, as amended                                                               |
| Slovenia (Regulation No. 29/2024)                                       | Regulation for protection of workers against risks related to carcinogenic, mutagenic or reprotoxic substances exposure at work, Annex III, The Official Journal of the Republic of Slovenia, No. 29/2024, as amended                                                      |
| Spain (Occupational exposure limits for chemical agents in Spain, 2025) | National Institute for Safety and Health at Work (INSST) - Occupational exposure limits for chemical agents in Spain, 2025, Tables 1 and 3                                                                                                                                 |
| Sweden (AFS 2023:14)                                                    | The Swedish Work Environment Authority's Regulations and General Advice on Respiratory limit values in the work Environment                                                                                                                                                |
| Switzerland (MAK Values)                                                | Occupational Limit Values 2025, Swiss National Accident Insurance Fund, List of MAK Values                                                                                                                                                                                 |
| Switzerland (BAT Values)                                                | Occupational Limit Values 2025, Swiss National Accident Insurance Fund, List of Biological Limit Values                                                                                                                                                                    |

Revision date 05-10-2026

#### Disclaimer

**Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly, this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**