



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008

Revision date 06-Aug-2026

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Code TP09990858
Material number(s): TP09990858QR
Product Name 701.00 LOW TEMP STRIPING INK BLACK

Other means of identification

Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use For industrial use only
Uses advised against None

1.3. Details of the supplier of the safety data sheet

Supplier

Avient Luxembourg S.à.r.l.
19 Route de Bastogne, L-9638
Pommerloch, Luxembourg
Product Stewardship
+352 26 90 50 35

For further information, please contact

E-mail address SDS.MB.Europe@avient.com

Company Phone Number +352 26 90 50 35

1.4. Emergency telephone number

Emergency Telephone (Chemtrec 24h) +44 20 3885 0382

Poison control center phone number - §45 - (EC)1272/2008	
Europe	112
Austria	Austria Poison Information Center: +43 1 406 43 43 Emergency phone number: 112
Belgium	Belgium Emergency phone number: +32 (0) 70 245 245 Emergency phone number: 112
Bulgaria	Bulgaria Emergency phone number : Hospital for Active Medical Treatment and Emergency Medicine "N.I.Pirogov" Emergency number/ fax: +359 2 9154 233
Croatia	Croatia Emergency phone number: Poison Control Center: +385 (01) 23 48 342 Emergency phone number: 112

Cyprus	Cyprus Emergency phone number: Poison Control Center: 1401
Czech Republic	Czech Republic Toxicological Information Center (TIS), Clinic of Occupational Medicine: +420 224 919 293 or +420 224 915 402 Emergency phone number: 112
Denmark	Denmark Emergency phone number: Bispebjerg Hospital: +45 82 12 12 12 Emergency phone number: 112
Estonia	Estonia Emergency phone number: Poison Information Center: 16662 Emergency phone number: 112
Finland	Finland Emergency phone number: Poison Information Center: 0800 147 111 Emergency phone number: 112
France	France: National Poison center phone number (ORFILA) : (33) 1 45 42 59 59 24/24-7/7 emergency number : ANGERS: 02 41 48 21 21 BORDEAUX: 05 56 96 40 80 LILLE: 08 00 59 59 59 LYON: 04 72 11 69 11 MARSEILLE: 04 91 75 25 25 NANCY: 03 83 22 50 50 PARIS: 01 40 05 48 48 TOULOUSE: 05 61 77 74 47
Germany	Germany Emergency phone number: +49 30 19240 (Giftnotruf Berlin)
Greece	Greece Emergency phone number: Poison Center: +30 210 77 93 777 Emergency phone number: 112
Hungary	Hungary Emergency phone number: ETTSZ (Health Toxicological Information Service): +36 80 201 199 Emergency phone number: 112
Ireland	Ireland Emergency phone number: National Poisons Information Centre, Beaumont Hospital: +353 (0)1 809 2166 (from 8.00 to 22.00)
Italy	Italy Emergency phone number: Bambino Gesù Pediatric Hospital, Rome, Piazza Sant'Onofrio: 06 6859 3726 University Hospital Foggia, Viale Luigi Pinto: 800 183 459 A. Cardarelli Hospital, Naples, Via A. Cardarelli: 081 545 3333 Umberto I Hospital, Rome, Viale del Policlinico: 06 4997 8000 A. Gemelli Hospital, Rome, Largo Agostino Gemelli: 06 305 4343 Careggi Hospital, Medical Toxicology Unit, Florence, Largo Brambilla: 055 794 7819 National Center for Toxicological Information, Pavia, Via Salvatore Maugeri: 0382 24444 Niguarda Ca' Granda, Milan, Piazza Maggiore Hospital: 02 6610 1029 Giovanni XXII Hospital, Bergamo, Piazza OMS: 00 883 300 Verona Integrated Hospital Trust, Piazzale Aristide Stefani 1: 800 011 858 Emergency phone number: 112
Latvia	Latvia Emergency phone number: Toxicology and Sepsis Clinic, Poison and Drug Information Center: +371 67042473 Emergency phone number: 112
Lithuania	Lithuania Emergency phone number: Lithuanian Poison Control and Information Center: +370(5) 2362052 or +370 687 53378 Emergency phone number: 112

Luxembourg	Luxembourg Emergency phone number: (+352) 8002 5500 Emergency phone number: 112
Malta	Malta Accident and Emergency Department phone number: 2545 4030
Netherlands	Netherlands Emergency phone number: NVIC Poison Center: +31 (0)88 755 8000 (For professionals only in case of acute poisoning).
Norway	Norway Poison Center Emergency phone number: +47 22 59 13 00
Poland	Poland Poison Information Center (Warsaw): +48226196654 Pomeranian Center of Toxicology (Gdansk): +48586821939 Sosnowiec Poison Center: +48323682210 Emergency phone number: 112
Portugal	Portugal Emergency phone number: Antivenom Information Center (CIAV): +351 800 250 250 Emergency phone number: 112
Romania	Romania Emergency phone number: Toxicological Information Center: +40 21 599 2300 Emergency phone number: 021 112
Slovakia	Slovakia Emergency phone number: National Toxicological Information Center (NTIC): 00421 (0) 2 5477 4166 Emergency phone number: 112
Slovenia	Slovenia Emergency phone number: 112
Spain	Spain Emergency phone number + 34 91 562 04 20 (for toxic emergencies only) Emergency phone number: 112
Sweden	Sweden Emergency phone number: 010-456 6700 Emergency phone number: 112
Switzerland	Switzerland Emergency phone number: 145 Outside Switzerland: +41 44 251 51 51

SECTION 2: Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)
Germ cell mutagenicity	Category 1B - (H340)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360D)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Category 3 Target organ effects: Narcotic effects.	

2.2. Label elements

Contains Isopropyl alcohol; 2-Amino-2-methyl-1-propanol; Naphtha, petroleum, hydrodesulfurized heavy



Signal word

Danger

Hazard statements

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H336 - May cause drowsiness or dizziness.
H340 - May cause genetic defects.
H350 - May cause cancer.
H360D - May damage the unborn child.

Precautionary statements

P201 - Obtain special instructions before use.
P261 - Avoid breathing dust, fume, gas, mist, vapors and spray.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection and face protection.
P312 - Call a POISON CENTER or doctor if you feel unwell.
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Additional information

Restricted to professional users.

2.3. Other hazards

Other hazards

No information available.

PBT or vPvB properties

The mixture does not contain any substances $\geq 0.1\%$ meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

Endocrine Disruptor Information

The mixture does not contain substances $\geq 0.1\%$ that have endocrine disrupting properties according to Regulation (EC) No 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No.	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
---------------	----------	---------------------------	--------------------	---	------------------------------------	----------	----------------------	-------

				1272/2008 [CLP]				
Isopropyl alcohol (CAS #: 67-63-0)	20 - 40%	No data available	200-661-7 (603-117-00-0)	STOT SE 3 (H336) Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)	-	-	-	-
Ethyl alcohol (CAS #: 64-17-5)	1 - 3%	No data available	200-578-6 (603-002-00-5)	Flam. Liq. 2 (H225)	-	-	-	-
Propanol, 1(or 2)-(2-methoxymethyl ethoxy)- (CAS #: 34590-94-8)	1 - 3%	No data available	252-104-2	No data available	-	-	-	-
2-Amino-2-methyl-1-propanol (CAS #: 124-68-5)	1 - 3%	No data available	204-709-8 (603-070-00-6)	Skin Corr. 1 (H314) Repr. 1B (H360D) Eye Dam. 1 (H318) STOT RE 2 (H373)	-	-	-	-
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (CAS #: 73296-89-6)	1 - 3%	No data available	277-362-3	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)	Eye Dam. 1 :: C>=20% Eye Irrit. 2 :: 10%<=C<20%	-	-	-
2,4,6-Tri-sec-butylphenol, ethoxylated, sulfated, sodium salt (CAS #: 109909-39-9)	0.1 - 1%	No data available	-	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	-	-	-	-
Naphtha, petroleum, hydrodesulfurized heavy (CAS #: 64742-82-1)	0.1 - 1%	No data available	265-185-4 (649-330-00-2)	Asp. Tox. 1 (H304) Muta. 1B (H340) Carc. 1B (H350) STOT RE 1 (H372)	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Isopropyl alcohol (67-63-0)	No data available	4059	No data available	No data available	No data available
2-Amino-2-methyl-1-propanol (124-68-5)	2900	2002	No data available	No data available	No data available
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	2600	5005	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice and attention.

Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice and attention. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	May cause cancer. May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. Mutagenic effects.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
------------------------------	---

Unsuitable extinguishing media	Do not use water jetstream.
--------------------------------	-----------------------------

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	No information available.
Hazardous combustion products	Decomposition products can include and are not limited to: Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx), Ammonia, Hydrogen chloride, Hydrogen sulfide, Sulfur oxides, Sulfur trioxide, Oxides of sulfur, Metal oxides

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
----------------------	--

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear protective gloves, eye protection and face protection. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) Storage class 6.1C.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union (Directives 98/24/EC and 2004/37/EC)
Propanol, 1(or 2)-(2-methoxymethylethoxy)- (34590-94-8)	TWA: 50 ppm; TWA: 308 mg/m ³ ;

		pSk		
Chemical name	Austria (GKV BGBl. II Nr. 330/2024)	Belgium (Royal Decree 21/01/2020)	Bulgaria (Regulation No. 13)	Croatia (Official Gazette No. 91/2018)
Isopropyl alcohol (67-63-0)	TWA-TMW: 200 ppm; TWA-TMW: 500 mg/m ³ ; STEL-KZGW: 800 ppm (4 X 15 min); STEL-KZGW: 2000 mg/m ³ (4 X 15 min); C	TWA: 200 ppm; TWA: 500 mg/m ³ ; STEL: 400 ppm; STEL: 1000 mg/m ³ ;	TWA: 980.0 mg/m ³ ; STEL: 1225.0 mg/m ³ ;	TWA-GVI: 400 ppm; TWA-GVI: 999 mg/m ³ ; STEL-KGVI: 500 ppm; STEL-KGVI: 1250 mg/m ³ ;
Ethyl alcohol (64-17-5)	TWA-TMW: 1000 ppm; TWA-TMW: 1900 mg/m ³ ; STEL-KZGW: 2000 ppm (3 X 60 min); STEL-KZGW: 3800 mg/m ³ (3 X 60 min);	TWA: 1000 ppm; TWA: 1907 mg/m ³ ;	TWA: 1000 mg/m ³ ;	TWA-GVI: 1000 ppm; TWA-GVI: 1900 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA-TMW: 50 ppm; TWA-TMW: 307 mg/m ³ ; STEL-KZGW: 100 ppm (8 X 5 min); STEL-KZGW: 614 mg/m ³ (8 X 5 min); Sk	TWA: 50 ppm; TWA: 308 mg/m ³ ; Sd	TWA: 50 ppm; TWA: 308.0 mg/m ³ ; Sk	TWA-GVI: 50 ppm; TWA-GVI: 308 mg/m ³ ; Sk
Chemical name	Cyprus (Cabinet of Ministers Regulation 268/2001)	Czech Republic (Regulation 361/2007)	Denmark (BEK no. 1619 of 19/12/2024)	Estonia (Regulation No. 105)
Isopropyl alcohol (67-63-0)	-	TWA: 500 mg/m ³ ; Ceiling: 1000 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 490 mg/m ³ ; STEL: 400 ppm; STEL: 980 mg/m ³ ;	TWA: 150 ppm; TWA: 350 mg/m ³ ; STEL: 250 ppm; STEL: 600 mg/m ³ ;
Ethyl alcohol (64-17-5)	-	TWA: 1000 mg/m ³ ; Ceiling: 3000 mg/m ³ ;	TWA: 1000 ppm; TWA: 1900 mg/m ³ ; STEL: 2000 ppm; STEL: 3800 mg/m ³ ;	TWA: 500 ppm; TWA: 1000 mg/m ³ ; STEL: 1000 ppm; STEL: 1900 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA: 50 ppm; TWA: 308 mg/m ³ ; pSk	TWA: 270 mg/m ³ ; Ceiling: 550 mg/m ³ ; pSk	TWA: 50 ppm; TWA: 309 mg/m ³ ; STEL: 100 ppm; STEL: 618 mg/m ³ ; pSk	TWA: 50 ppm; TWA: 308 mg/m ³ ; Sk
Chemical name	Finland (HTP-ARVOT 2025)	France (INRS ED 6443)	Germany (TRGS 900)	Germany (DFG)
Isopropyl alcohol (67-63-0)	TWA: 200 ppm; TWA: 500 mg/m ³ ; STEL: 250 ppm; STEL: 620 mg/m ³ ;	STEL-VLCT: 400 ppm; STEL-VLCT: 980 mg/m ³ ;	TWA-AGW; 200 ppm (2(II)); TWA-AGW; 500 mg/m ³ (2(II));	TWA-MAK: 200 ppm; II(2); TWA-MAK: 500 mg/m ³ ; II(2);
Ethyl alcohol (64-17-5)	TWA: 200 ppm; TWA: 380 mg/m ³ ; STEL: 800 ppm; STEL: 1520 mg/m ³ ;	TWA-VME: 1000 ppm; TWA-VME: 1900 mg/m ³ ; STEL-VLCT: 5000 ppm; STEL-VLCT: 9500 mg/m ³ ;	TWA-AGW; 200 ppm (4(II)); TWA-AGW; 380 mg/m ³ (4(II));	TWA-MAK: 200 ppm; II(4); TWA-MAK: 380 mg/m ³ ; II(4);
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA: 50 ppm; TWA: 310 mg/m ³ ; pSk	TWA-VME (restrictif): 50 ppm; TWA-VME (restrictif): 308 mg/m ³ ; dSk	TWA-AGW; 50 ppm (1(I)); TWA-AGW; 310 mg/m ³ (1(I));	TWA-MAK: 50 ppm; I(1); TWA-MAK: 310 mg/m ³ ; I(1);
2-Amino-2-methyl-1-propanol (124-68-5)	-	-	TWA-AGW; 1 ppm (2(II)); TWA-AGW;	TWA-MAK: 1 ppm; II(2); TWA-MAK: 3.7 mg/m ³ ; I(2);

			3.7 mg/m ³ (2(II)); Sk	
Chemical name	Greece (Presidential Decrees 90/1999, 338/2001 and 212/2006)	Hungary (5/2020 ITM Decree)	Italy (Legislative Decree no. 81)	Italy (AIDII)
Isopropyl alcohol (67-63-0)	TWA: 400 ppm; TWA: 980 mg/m ³ ; STEL: 500 ppm; STEL: 1225 mg/m ³ ;	TWA-AK: 500 mg/m ³ ; TWA-AK: 200 ppm; STEL-CK: 1000 mg/m ³ ; STEL-CK: 400 ppm; pSk	-	TWA: 200 ppm; TWA: 492 mg/m ³ ; STEL (REL): 400 ppm; STEL (REL): 983 mg/m ³ ;
Ethyl alcohol (64-17-5)	TWA: 1000 ppm; TWA: 1900 mg/m ³ ;	TWA-AK: 1000 ppm; TWA-AK: 1900 mg/m ³ ; STEL-CK: 2000 ppm; STEL-CK: 3800 mg/m ³ ;	-	STEL (REL): 1000 ppm; STEL (REL): 1884 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA: 100 ppm; TWA: 600 mg/m ³ ; STEL: 150 ppm; STEL: 900 mg/m ³ ; pSk	TWA-AK: 308 mg/m ³ ; TWA-AK: 50 ppm;	TWA: 50 ppm; TWA: 308 mg/m ³ ; pSk	TWA: 100 ppm; TWA: 606 mg/m ³ ; STEL (REL): 150 ppm; STEL (REL): 909 mg/m ³ ; pSk
Chemical name	Ireland (CoP 2024)	Latvia (Cabinet of Ministers Regulation No. 325)	Lithuania (HN 23:2011)	Luxembourg (A-N°684)
Isopropyl alcohol (67-63-0)	TWA: 200 ppm; STEL: 400 ppm; pSk	TWA: 350 mg/m ³ ; STEL: 600 mg/m ³ ;	TWA-IPRD: 150 ppm; TWA-IPRD: 350 mg/m ³ ; STEL-TPRD: 250 ppm; STEL-TPRD: 600 mg/m ³ ;	-
Ethyl alcohol (64-17-5)	STEL: 1000 ppm;	TWA: 1000 mg/m ³ ;	TWA-IPRD: 500 ppm; TWA-IPRD: 1000 mg/m ³ ; STEL-TPRD: 1000 ppm; STEL-TPRD: 1900 mg/m ³ ;	-
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA: 50 ppm; TWA: 308 mg/m ³ ; STEL: 150 ppm (calculated); STEL: 924 mg/m ³ (calculated); pSk	TWA: 50 ppm; TWA: 308 mg/m ³ ; pSk	TWA-IPRD: 300 mg/m ³ ; TWA-IPRD: 50 ppm; STEL-TPRD: 450 mg/m ³ ; STEL-TPRD: 75 ppm; Sk	TWA: 308 mg/m ³ ; TWA: 50 ppm; pSk
Chemical name	Malta (Subsidiary Legislation 424.24)	Netherlands (Working Conditions Regulations)	Norway (FOR-2011-12-06-1358)	Poland (Legislative Journal 2018 item 1286)
Isopropyl alcohol (67-63-0)	-	-	TWA: 100 ppm; TWA: 245 mg/m ³ ; STEL: 150 ppm (value calculated); STEL: 306.25 mg/m ³ (value calculated);	TWA-NDS: 900 mg/m ³ ; STEL-NDSch: 1200 mg/m ³ ; Sk
Ethyl alcohol (64-17-5)	-	TWA: 137 ppm; TWA: 260 mg/m ³ ; STEL: 1000 ppm; STEL: 1900 mg/m ³ ; Sk	TWA: 500 ppm; TWA: 950 mg/m ³ ; STEL: 625 ppm (value calculated); STEL: 1187.5 mg/m ³ (value calculated);	TWA-NDS: 1900 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-	TWA: 50 ppm; TWA: 308 mg/m ³ ;	TWA: 48.7 ppm; TWA: 300 mg/m ³ ;	TWA: 50 ppm; TWA: 300 mg/m ³ ;	TWA-NDS: 240 mg/m ³ ; STEL-NDSch: 480

(34590-94-8)	pSk		STEL: 75 ppm (value calculated); STEL: 375 mg/m ³ (value calculated); Sk	mg/m ³ ; Sk
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	-	-	-	TWA-NDS: 300 mg/m ³ ; STEL-NDSCh: 900 mg/m ³ ;
Chemical name	Portugal (NP 1796:2014)	Romania (Government Decision no. 1218/2006)	Slovakia (Gov. Decree 122/2024)	Slovenia (Regulation Nos. 100/2001 and 29/2024)
Isopropyl alcohol (67-63-0)	TWA (VLE-MP): 200 ppm; STEL (VLE-CD): 400 ppm;	TWA: 81 ppm; TWA: 200 mg/m ³ ; STEL: 203 ppm; STEL: 500 mg/m ³ ;	TWA: 200 ppm; TWA: 500 mg/m ³ ; Ceiling: 1000 mg/m ³ ;	TWA: 200 ppm; TWA: 500 mg/m ³ ; STEL: 400 ppm; STEL: 1000 mg/m ³ ;
Ethyl alcohol (64-17-5)	STEL (VLE-CD): 1000 ppm;	TWA: 1000 ppm; TWA: 1900 mg/m ³ ; STEL: 5000 ppm; STEL: 9500 mg/m ³ ;	TWA: 500 ppm; TWA: 960 mg/m ³ ; Ceiling: 1920 mg/m ³ ;	TWA: 960 mg/m ³ ; TWA: 500 ppm; STEL: 1000 ppm; STEL: 1920 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA (VLE-MP): 50 ppm; TWA (VLE-MP): 308 mg/m ³ ; STEL (VLE-CD): 150 ppm; pSk	TWA: 50 ppm; TWA: 308 mg/m ³ ; Sk	TWA: 50 ppm; TWA: 308 mg/m ³ ; pSk	TWA: 50 ppm; TWA: 308 mg/m ³ ; STEL: 50 ppm; STEL: 308 mg/m ³ ; pSk
2-Amino-2-methyl-1-propanol (124-68-5)	-	-	-	TWA: 3.7 mg/m ³ ; TWA: 1 ppm; STEL: 2 ppm; STEL: 7.4 mg/m ³ ; pSk
Chemical name	Spain (Occupational exposure limits for chemical agents in Spain, 2025)	Sweden (AFS 2023:14)	Switzerland (MAK Values)	United Kingdom
Isopropyl alcohol (67-63-0)	TWA-(VLA-ED): 200 ppm; TWA-(VLA-ED): 500 mg/m ³ ; STEL (VLA-EC): 400 ppm; STEL (VLA-EC): 1000 mg/m ³ ;	TLV-NGV: 150 ppm; TLV-NGV: 350 mg/m ³ ; STEL (Vägledande KGV): 250 ppm; STEL (Vägledande KGV): 600 mg/m ³ ;	TWA-MAK: 200 ppm; TWA-MAK: 500 mg/m ³ ; STEL-KZGW: 400 ppm; STEL-KZGW: 1000 mg/m ³ ;	TWA: 400 ppm; TWA: 999 mg/m ³ ; STEL: 500 ppm; STEL: 1250 mg/m ³ ;
Ethyl alcohol (64-17-5)	STEL (VLA-EC): 1000 ppm; STEL (VLA-EC): 1910 mg/m ³ ;	TLV-NGV: 500 ppm; TLV-NGV: 1000 mg/m ³ ; STEL (Vägledande KGV): 1000 ppm; STEL (Vägledande KGV): 1900 mg/m ³ ;	TWA-MAK: 500 ppm; TWA-MAK: 960 mg/m ³ ; STEL-KZGW: 1000 ppm; STEL-KZGW: 1920 mg/m ³ ;	TWA: 1000 ppm; TWA: 1920 mg/m ³ ; STEL: 3000 ppm; STEL: 5760 mg/m ³ ;
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	TWA-(VLA-ED): 50 ppm; TWA-(VLA-ED): 308 mg/m ³ ; pSk	TLV-NGV: 50 ppm; TLV-NGV: 300 mg/m ³ ; STEL (Vägledande KGV): 75 ppm; STEL (Vägledande KGV): 450 mg/m ³ ; Sk	TWA-MAK: 50 ppm; aerosol, vapour TWA-MAK: 300 mg/m ³ ; aerosol, vapour STEL-KZGW: 50 ppm; aerosol, vapour STEL-KZGW: 300 mg/m ³ ; aerosol, vapour	TWA: 50 ppm; TWA: 308 mg/m ³ ; STEL: 150 ppm; STEL: 924 mg/m ³ ; pSk
2-Amino-2-methyl-1-propanol (124-68-5)	-	-	TWA-MAK: 2.4 ppm; aerosol, vapour	-

			TWA-MAK: 8.7 mg/m ³ ; aerosol, vapour STEL-KZGW: 4.8 ppm; aerosol, vapour STEL-KZGW: 17.4 mg/m ³ ; aerosol, vapour Sk	
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	TWA-(VLA-ED): 50 ppm; TWA-(VLA-ED): 290 mg/m ³ ; STEL (VLA-EC): 100 ppm; STEL (VLA-EC): 580 mg/m ³ ; pSk	-	-	-

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	European Union (Directive 98/24/EC)	Austria (VGÜ 2008)	Bulgaria (Regulation No. 13)	Croatia (Official Gazette No. 91/2018)	Czech Republic (Decree Nos. 181/2015 and 240/2015)
Isopropyl alcohol (67-63-0)	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
Chemical name	Denmark (BEK no. 1619 of 19/12/2024)	Finland (HTP-ARVOT 2025)	France (Decree 2009-157)	Germany (DFG)	Germany (TRGS 903)
Isopropyl alcohol (67-63-0)	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)
Chemical name	Hungary (5/2020 ITM Decree)	Ireland (CoP 2024)	Italy (Legislative Decree no. 81)	Italy (AIDII)	
Isopropyl alcohol (67-63-0)	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek	
Chemical name	Latvia (Cabinet of Ministers Regulation No. 325)	Luxembourg (A-N°684)	Romania (Government Decision no. 1218/2006)	Slovakia (Gov. Decree 122/2024)	
Isopropyl alcohol (67-63-0)	-	-	50 mg/L - urine (Acetone) - end of shift	-	
Chemical name	Slovenia (Regulation No. 100/2001)	Spain (Occupational exposure limits for chemical agents in Spain, 2025)	Switzerland (BAT Values)	United Kingdom	
Isopropyl alcohol (67-63-0)	25 mg/L - blood	40 mg/L (urine -	25 mg/L (urine -	-	

	(Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	Acetone end of workweek)	Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	
--	---	--------------------------	---	--

Note: See section 16 for terms and abbreviations.

Information on monitoring procedures

Refer to European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) or equivalent national standard(s). Refer to European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) or equivalent national standard(s). Refer to European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) or equivalent national standard(s).

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Isopropyl alcohol (67-63-0)	-	888 mg/kg bw/day [4] [6]	500 mg/m ³ [4] [6] 1000 mg/m ³ [4] [7]
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	-	283 mg/kg bw/day [4] [6]	308 mg/m ³ [4] [6]
2-Amino-2-methyl-1-propanol (124-68-5)	-	7.3 mg/kg bw/day [4] [6]	6.5 mg/m ³ [4] [6]
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	-	4060 mg/kg bw/day [4] [6]	285 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Isopropyl alcohol (67-63-0)	26 mg/kg bw/day [4] [6] 51 mg/kg bw/day [4] [7]	-	89 mg/m ³ [4] [6] 178 mg/m ³ [4] [7]
Propanol, 1(or 2)-(2-methoxymethylethoxy)-(34590-94-8)	36 mg/kg bw/day [4] [6]	-	37.2 mg/m ³ [4] [6]
2-Amino-2-methyl-1-propanol (124-68-5)	0.46 mg/kg bw/day [4] [6]	-	1.6 mg/m ³ [4] [6]
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	24 mg/kg bw/day [4] [6]	-	85 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Ethyl alcohol (64-17-5)	0.38 g/kg food 0.96 mg/L	2.75 mg/L	0.38 g/kg food 0.79 mg/L	-	-
Propanol, 1(or 2)-(2-methoxymethylethox y)- (34590-94-8)	19 mg/L	190 mg/L	1.9 mg/L	-	-
2-Amino-2-methyl-1-propa nol (124-68-5)	0.188 mg/L	1.88 mg/L	0.0188 mg/L	-	-
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	0.0958 mg/L	0.013 mg/L	0.0096 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Ethyl alcohol (64-17-5)	3.6 mg/kg sediment dw	2.9 mg/kg sediment dw	580 mg/L	0.63 mg/kg soil dw	-
Propanol, 1(or 2)-(2-methoxymethylethox y)- (34590-94-8)	70.2 mg/kg sediment dw	7.02 mg/kg sediment dw	4168 mg/L	2.74 mg/kg soil dw	-
2-Amino-2-methyl-1-propa nol (124-68-5)	0.71 mg/kg sediment dw	0.071 mg/kg sediment dw	10 mg/L	0.03 mg/kg soil dw	-
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	3.37 mg/kg sediment dw	0.337 mg/kg sediment dw	6.8 mg/L	0.616 mg/kg soil dw	-

8.2. Exposure controls**Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

Personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection

Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance Liquid

Physical state	Liquid
Color	No information available
Odor	Slight
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point or initial boiling point and boiling range	No data available	
Flammability	No data available	None known
Lower and upper explosion limit/flammability limit		None known
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. static discharge (electrostatic discharge). Storage near to reactive materials. Dust formation. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	94,244.10 mg/kg
ATEmix (dermal)	19,182.42 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol (67-63-0)	-	4059 mg/kg (Rabbit)	-
2-Amino-2-methyl-1-propanol (124-68-5)	2900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	2600 mg/kg bw	> 5000 mg/kg (Rabbit)	-
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	-	> 4 mL/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Contains a known or suspected mutagen. Classification based on data available for ingredients. May cause genetic defects.
The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.	

Chemical name	European Union
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	Muta. 1B

Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.
The table below indicates whether each agency has listed any ingredient as a carcinogen.	

Chemical name	European Union
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	Carc. 1B

Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.
------------------------------	---

STOT - single exposure	May cause drowsiness or dizziness.
-------------------------------	------------------------------------

STOT - repeated exposure	Based on available data, the classification criteria are not met.
---------------------------------	---

Aspiration hazard	Based on available data, the classification criteria are not met.
--------------------------	---

11.2. Information on other hazards**11.2.1. Endocrine disrupting properties**

Endocrine disruption for human health	Based on available data, the classification criteria are not met.
--	---

11.2.2. Other information

Other adverse effects	No information available.
------------------------------	---------------------------

SECTION 12: Ecological information

<u>12.1. Toxicity</u>	Based on available data, the classification criteria are not met.
------------------------------	---

Aquatic toxicity

Component Information

Chemical name	Earthworm	Avian	Honeybees
Ethyl alcohol (64-17-5)	Acute Toxicity: LC50 0.1 - 1 mg/cm2 (Eisenia foetida, 48 h filter paper)	-	-

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential**Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
2-Amino-2-methyl-1-propanol (124-68-5)	-0.63	1	-
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	-	73	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment
Isopropyl alcohol (67-63-0)	Not PBT/vPvB
Ethyl alcohol (64-17-5)	Not PBT/vPvB
Propanol, 1(or 2)-(2-methoxymethylethoxy)- (34590-94-8)	Not PBT/vPvB
2-Amino-2-methyl-1-propanol (124-68-5)	Not PBT/vPvB
Sulfuric acid, mono-C12-16-alkyl esters, sodium salts (73296-89-6)	Not PBT/vPvB
Naphtha, petroleum, hydrodesulfurized heavy (64742-82-1)	Not PBT/vPvB

12.6. Endocrine disrupting properties This mixture contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

ADN

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	
Special Provisions	None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany

Water hazard class (WGK) strongly hazardous to water (WGK 3)

European Union

Authorizations and/or restrictions on use:

Use restricted. See item: 3.

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Isopropyl alcohol 67-63-0	Use restricted. See entry 75.	-
2-Amino-2-methyl-1-propanol 124-68-5	Use restricted. See entry 75.	-
Naphtha, petroleum, hydrodesulfurized heavy 64742-82-1	Use restricted. See entry 28. Use restricted. See entry 29. Use restricted. See entry 75.	-

International Inventories

TSCA	Not determined
DSL/NDL	Not determined
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AIIC	Not determined
NZIoC	Not determined
TCSI	Not determined

15.2. Chemical safety assessment

Chemical Safety Report	No information available
------------------------	--------------------------

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H225 - Highly flammable liquid and vapor
H304 - May be fatal if swallowed and enters airways
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H340 - May cause genetic defects
H350 - May cause cancer
H360D - May damage the unborn child
H372 - Causes damage to organs through prolonged or repeated exposure
H373 - May cause damage to organs through prolonged or repeated exposure
H411 - Toxic to aquatic life with long lasting effects
H412 - Harmful to aquatic life with long lasting effects
P264 - Wash face, hands and any exposed skin thoroughly after handling
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P321 - Specific treatment (see supplemental first aid instructions on this label)
P332 + P313 - If skin irritation occurs: Get medical advice and attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P280 - Wear protective gloves, protective clothing, eye protection and face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice and attention
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P308 + P313 - IF exposed or concerned: Get medical advice and attention
P405 - Store locked up
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable
P261 - Avoid breathing dust, fume, gas, mist, vapors and spray
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EINECS	European Inventory of Existing Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace

MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labor and Social Policy
NDSL	Non-Domestic Substances List (Canada)
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method

Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
 European Chemicals Agency (ECHA) (ECHA_API)
 U.S. Environmental Protection Agency
 U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 U.S. Hazardous Substance Data Bank (HSDB)
 International Uniform Chemical Information Database (IUCLID)
 Japan National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 U.S. National Institute for Occupational Safety and Health (NIOSH)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 U.S. National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
 United Nations World Health Organization (WHO)

Limit Value Legal Basis

European Union (Directive 98/24/EC)	Council Directive 98/24/EC of April 7, 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended
European Union (Directive 2004/37/EC)	Directive 2004/37/EC of April 29, 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work, as amended
Austria (GKV BGBl. II Nr. 330/2024)	Ordinance on Limit Values for Workplace Substances and on Carcinogens, as amended by BGBl. II Nr. 330/2024, from the Federal Ministry of Economics and Labor
Austria (VGÜ 2008)	Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, as amended
Belgium (Royal Decree 21/01/2020)	Royal Decree of March 11, 2002 on the protection of workers' health against risks from chemical agents at work, as amended
Bulgaria (Regulation No. 13)	Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work, as amended
Bulgaria (Regulation No. 10)	Regulation No. 10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens, Mutagens or Substances Toxic to Reproduction

	at Work, as amended
Croatia (Official Gazette No. 91/2018)	Official Gazette No. 91/2018 on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values, as amended
Cyprus (Cabinet of Ministers Regulation 268/2001)	Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances), as amended
Cyprus (Cabinet of Ministers Regulation 153/2001)	Cabinet of Ministers Regulation 153/2001 - Safety and Health in the Working Environment (Chemical Substances-Carcinogens), as amended
Czech Republic (Regulation 361/2007)	Conditions for the Protection of the Health of Employees at Work, Government Regulation 361/2007, as amended
Czech Republic (Decree Nos. 181/2015 and 240/2015)	Decree 181/2015 and Decree 240/2015, amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests and requirements for reporting work with asbestos and biological agents
Denmark (BEK no. 1619 of 19/12/2024)	Statutory Order No. 507, Order on Limit Values for Substances and Materials, as amended by BEK no. 1619 of 19/12/2024
Estonia (Regulation No. 105)	Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents, Regulation No. 105 of March 20, 2001, as amended
Finland (HTP-ARVOT 2025)	Regulation on Concentrations Known to be Hazardous, 55/2025, Publications of Ministry of Social Affairs and Health
France (INRS ED 6443)	Occupational Exposure Limit Values, ED 6443, Published 2021 by the INRS (the National Research and Safety Institute for the Prevention of Occupational Accidents and Diseases), as amended
France (Decree 2009-157)	Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces
Germany TRGS	TRGS 900 - Occupational Exposure Limits, Technical Rules for Dangerous Substances, 2025
Germany (TRGS 903)	Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, 2025
Germany (DFG)	MAK and BAT values of Hazardous Chemical Compounds in the Work Area, published by the German Research Foundation on July 1, 2025
Greece (Presidential Decree 90/1999)	Presidential Decree 90/1999, Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, as amended
Greece (Presidential Decree 212/2006)	Presidential Decree 212/2006, Protection of workers that are exposed to asbestos
Greece (Presidential Decree 338/2001)	Presidential Decree 338/2001, Protection of workers' health and safety from exposure to certain chemical substances during the workday
Hungary (5/2020 ITM Decree)	5/2020. (II. 6.) Ministry of Innovation and Technology decree on the protection of the health and safety of workers from the risks related to chemical agents, as amended
Ireland (CoP 2024)	2024 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) & the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024)
Italy (Legislative Decree no. 81)	Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Legislative Decree no. 81 of April 9, 2008, as amended
Italy (AIDII)	Final Note (1), Ministerial Decree of August 20, 1999 by the Ministry of Health along with the Ministry of Industry, Trade, and Arts
Latvia (Cabinet of Ministers Regulation No. 325)	Cabinet of Ministers Regulation No. 325 of 2007 - Labor Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, as amended
Lithuania (HN 23:2011)	Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure limit values for chemical substances - General requirements of measurement and impact assessment, as amended
Luxembourg (A-N°684)	Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace, A-N°684 of 2018
Malta (Subsidiary Legislation 424.24)	Malta Occupational Health and Safety Authority Act: Chapter 424 - Protection of the health and safety of workers from the risks related to chemical agents at work, as amended
Netherlands (Working Conditions Regulations)	Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XIII, as amended

Norway (FOR-2011-12-06-1358)	Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, as amended
Poland (Legislative Journal 2018 item 1286)	Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment, as amended
Portugal (NP 1796:2014)	Portuguese Norm NP 1796:2014, Occupational exposure limits and biological exposure indices to chemical agents, Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs)
Romania (Government Decision no. 1218/2006)	Governmental Decision No. 1218 from September 6, 2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents
Slovakia (Gov. Decree 122/2024)	Government Decree of Slovak Republic 122/2024 of May 22, 2024 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents
Slovenia (Regulation No. 100/2001)	Regulation for protection of workers against risks related to exposure to chemical substances at the workplace, Annexes I and II, the Official Gazette of the Republic of Slovenia, No. 100/2001, as amended
Slovenia (Regulation No. 29/2024)	Regulation for protection of workers against risks related to carcinogenic, mutagenic or reprotoxic substances exposure at work, Annex III, The Official Journal of the Republic of Slovenia, No. 29/2024, as amended
Spain (Occupational exposure limits for chemical agents in Spain, 2025)	National Institute for Safety and Health at Work (INSST) - Occupational exposure limits for chemical agents in Spain, 2025, Tables 1 and 3
Sweden (AFS 2023:14)	The Swedish Work Environment Authority's Regulations and General Advice on Respiratory limit values in the work Environment
Switzerland (MAK Values)	Occupational Limit Values 2025, Swiss National Accident Insurance Fund, List of MAK Values
Switzerland (BAT Values)	Occupational Limit Values 2025, Swiss National Accident Insurance Fund, List of Biological Limit Values

Revision date 06-Aug-2026

Disclaimer

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly, this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet