



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
GB/T 16483-2008, GB/T 17519-2013

Product Name 793.00 FAST DRYING AGENT

Revision date 23-09-2026

Version 1

(M)SDS Number PRD_TP09990907

1. Identification

Product identifier

Product Name 793.00 FAST DRYING AGENT

Product Code TP09990907

Material number(s) TP09990907QR

Other means of identification

(M)SDS Number PRD_TP09990907

UN number or ID number UN1210

Substance/mixture Mixture

Details of the supplier of the safety data sheet

Supplier

Avient Corporation
2F, Block C, 200 Jinsu Road
Pudong Shanghai, China 201206

E-mail address RegulatoryServicesAsia@Avient.com

Company Phone Number +86 60284888

Emergency telephone number

Emergency telephone number (Chemtrec 24h) +65 3163 8374

Recommended use of the chemical and restrictions on use

Recommended use For industrial use only

Restrictions on use None

2. Hazard(s) identification

Emergency Overview

Causes serious eye irritation
May cause drowsiness or dizziness
Highly flammable liquid and vapor

Appearance Liquid
Physical state Liquid
Odor No information available

Classification of the substance or mixture

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity - Single exposure	Category 3
Category 3 Target organ effects: Narcotic effects.	

Label elements



Signal word

Danger

Hazard statements

Highly flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling.
Avoid breathing dust, fume, gas, mist, vapors and spray.
Use only outdoors or in a well-ventilated area.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Use explosion-proof electrical, ventilating and lighting equipment.
Ground and bond container and receiving equipment.
Use only non-sparking tools.
Take action to prevent static discharges.
Wear protective gloves, protective clothing, eye protection and face protection.
Keep cool.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER or doctor if you feel unwell.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice and attention.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Store in a well-ventilated place. Keep cool.

Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Physical and chemical hazards

Highly flammable liquid and vapor. Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated.

Health hazards

Immediate Health Effects: Causes severe irritation (tears, blurred vision and redness). Irritating, but will not permanently injure eye tissue. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Chronic effects: Not applicable.

Environmental hazards

Not applicable.

Other hazards which do not result in classification

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	Weight-%	CAS No.
Isopropyl alcohol	40 - 60%	67-63-0

4. First-aid measures

Description of necessary first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice and attention.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms/effects, acute and delayed

<u>Symptoms</u>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	--

<u>Effects of Exposure</u>	None.
----------------------------	-------

<u>For emergency responders</u>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.
---------------------------------	--

<u>Note to physicians</u>	Treat symptomatically.
---------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media Do not use water jetstream.

Specific hazards arising from the chemical Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Decomposition products can include and are not limited to:.
Carbon monoxide.
Carbon dioxide (CO₂).

Special protective actions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Precautions to prevent secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

Precautions for safe handling Use personal protective equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear protective gloves, eye protection and face protection.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible materials

None known based on information supplied.

8. Exposure controls/personal protection

Occupational exposure limits

Chemical name	China GBZ 2.1	ACGIH TLV
Isopropyl alcohol (67-63-0)	TWA: 350 mg/m ³ ; STEL: 700 mg/m ³ ;	TWA: 200 ppm STEL: 400 ppm

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	Biological standards	Monitoring and observation processes	ACGIH
Isopropyl alcohol (67-63-0)	-	-	40 mg/L - urine (Acetone) - end of shift at end of workweek

Monitoring and observation processes

No applicable information was found.

Engineering controls

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tight sealing safety goggles.

Skin and body protection

Wear suitable protective clothing. Antistatic boots. Chemical resistant apron. Wear fire resistant or flame retardant clothing.

Hand protection

Wear suitable gloves.

Respiratory protection

Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Liquid
Physical state	Liquid
Color	No information available

Odor Slight
Odor threshold No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	85 °C	None known
Flash point	16 °C	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
Kinematic viscosity	21	None known
Dynamic viscosity	No data available	None known

Additional information

10. Stability and reactivity

Stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Reactivity No information available.

 Sensitivity to static discharge Yes.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous decomposition products None under normal use conditions.

11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture
ATEmix (dermal) 8,118.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol (67-63-0)	-	4059 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.
The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	China GHS Classification	IARC
Isopropyl alcohol (67-63-0)	-	Group 3

Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

Ecotoxicity No information available.

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste chemicals Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. Transport information

JT/T 617

UN number or ID number UN1210
UN proper shipping name Printing ink solution
Transport hazard class(es) 3
Packing group II
Environmental hazards No
Description UN1210, Printing ink solution, 3, II
Special Provisions 163, 640C, 367

IMDG

UN number or ID number UN1210
UN proper shipping name Printing ink solution
Transport hazard class(es) 3
Packing group II
Marine pollutant indicator NP
Special Provisions 163, 367
EmS-No. F-E, S-D
Description UN1210, Printing ink solution, 3, II, (16°C c.c.)
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

IATA

UN number or ID number UN1210
UN proper shipping name Printing ink solution
Transport hazard class(es) 3
Packing group II
Environmental hazards No
Special Provisions A3, A72, A192
ERG Code 3L
Description UN1210, Printing ink solution, 3, II

Special precautions for user

Please refer to the applicable dangerous goods regulations for additional information

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Catalog of occupational hazard factors:

Listed. Chemical hazards.

Catalog of occupational diseases:

Listed. Occupational poisoning.

Chemical name	Category
Isopropyl alcohol	Chemical hazards

Regulations on the Control over Safety of Hazardous Chemicals

Catalog of Hazardous Chemicals

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed. Verify that license requirements are met.

Flammable liquid - Category 2

Weight-% 50

Chemical name	Serial number	Hazardous chemicals
Isopropyl alcohol	0111	Listed

GB 18218-2018 Identification of major hazard installations for dangerous chemicals

Category

Flammable liquids

Threshold quantity (T)

1000

List of hazardous chemicals under priority management

Not applicable

Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used

Inventory of highly toxic goods

Not applicable

Regulations for Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

Catalog of Severely Restricted Toxic Chemicals

Not applicable

Measures for the Environmental Management of New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

Complies.

International Regulations

The Rotterdam Convention Not applicable

International Inventories

TSCA	Complies
DSL/NDL	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AIIC	Complies
NZIoC	Complies
TCSI	Complies

16. Other information

Revision date 23-09-2026

Revision Note

Abbreviations and acronyms

Key or legend to abbreviations and acronyms used in the safety data sheet

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EINECS	European Inventory of Existing Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NDSL	Non-Domestic Substances List (Canada)
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)

SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C_G1	Group 1 - Carcinogenic to humans
C_G2A	Group 2A - Probably carcinogenic to humans
C_G2B	Group 2B - Possibly carcinogenic to humans
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
U.S. Environmental Protection Agency
U.S. EPA Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
U.S. Hazardous Substance Data Bank (HSDB)
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
U.S. National Institute for Occupational Safety and Health (NIOSH)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Disclaimer

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named

Product Name 793.00 FAST DRYING AGENT
Revision date 23-09-2026

(M)SDS Number

PRD_TP09990907

supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly, this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.